

SUBJECT INDEX TO VOLUME 64

Subject entries for all materials in the JOURNAL appear in this index. Entries from the JOURNAL departments are identified as follows: Book Reviews—(BR); Clinical Reports—(CR); Correspondence—(CO); Editorial Views—(EV); Laboratory Reports—(LR); Original Article—(OA); Review Article—(RA); Medical Intelligence—(MI); Special Article—(SA); Reports of Scientific Meetings—(SM).

A

Academics

anesthesiology, status of women in (SA) [Wilkinson & Linde], 496

Acetylcholine, *See under Neurotransmitters; Receptors*

Acid analogues

baclofen

during general anesthesia, bradycardia and hypotension associated with (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255

Acid-base equilibrium

respiratory acidosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

respiratory alkalosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

Action potential, *See under Heart*

Adenosine, *See under Anesthetic techniques, hypotension, induced*

Adrenal medulla, *See under Sympathetic nervous system*

Adrenergic receptors, *See under Receptors; Sympathetic nervous system*

Aerosols

bronchodilator, delivery of, in anesthesia circuit (CO) [Diamond], 531

Afterload, *See under Heart*

Age factors

prematurity

and cardiovascular changes in neonates receiving isoflurane, halothane, fentanyl, and ketamine (OA) [Friesen & Henry], 238

AIDS, *See under Complications*

Air embolism, *See under Embolism*

Airway, *See also under Muscle*

perforation

following laser surgery (CR) [Emery], 120

resistance

to histamine following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353

rupture with disposable double-lumen tube (CO) [Brodsky, Shulman & Mark], 415

suctioning

effect of lidocaine on ICP response to (CR) [Yano, Nishiyama, Yokota, Katō, Yamamoto & Otsuka], 651

tongue

hemimacroglossia and unilateral necrosis of, in long-duration neurosurgical procedure, 845

Airway occlusion pressure, *See under Ventilation*

Airway pressure, *See under Monitoring*

Airway response, *See under Histamine*

Alarms, *See under Complications; Equipment; Monitoring*

Alcohols

in study of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Branswell & Miller], 694

Alcuronium, *See under Neuromuscular relaxants*

Alfentanil, *See under Analgesics, narcotic; Anesthetics, intravenous*

Alpha-adrenergic agonist, *See under Sympathetic nervous system*

Amines, *See under Anesthetics, local*

Amino acids, *See under Brain; Liver*

Amniotic fluid, *See under Embolism*

Analgesics

alfentanil

concentration versus effects in dogs (OA) [Arndt, Bednarski & Parasher], 345

rigidity induced by, physiology of (OA) [Benthuyssen, Smith, Sanford, Head & Dec-Silver], 440

fentanyl

potency versus cost of (CO) [Aldrete], 843

potency versus cost of (CO) [Marina], 842

potency versus cost of (CO) [Polta], 843

intravenous

meperidine

effects of, on hemodynamics, plasma catecholamines, angiotensin I, aldosterone, and histamine concentrations in elderly men (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815

methadone

and morphine, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

morphine

cardiac pain induced by? (CO) [Maltby & Williams], 527

and methadone, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

narcotic

alfentanil

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

buprenorphine

early respiratory depression resistant to naloxone following (CR) [Knape], 382

complications

resistant to naloxone following epidural buprenorphine (CR) [Knape], 382

fentanyl

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

SUBJECT INDEX TO VOLUME 64

Subject entries for all materials in the JOURNAL appear in this index. Entries from the JOURNAL departments are identified as follows: Book Reviews—(BR); Clinical Reports—(CR); Correspondence—(CO); Editorial Views—(EV); Laboratory Reports—(LR); Original Article—(OA); Review Article—(RA); Medical Intelligence—(MI); Special Article—(SA); Reports of Scientific Meetings—(SM).

A

Academics

anesthesiology, status of women in (SA) [Wilkinson & Linde], 496

Acetylcholine, *See under* Neurotransmitters; Receptors

Acid analogues

baclofen

during general anesthesia, bradycardia and hypotension associated with (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255

Acid-base equilibrium

respiratory acidosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

respiratory alkalosis

in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

Action potential, *See under* Heart

Adenosine, *See under* Anesthetic techniques, hypotension, induced

Adrenal medulla, *See under* Sympathetic nervous system

Adrenergic receptors, *See under* Receptors; Sympathetic nervous system

Aerosols

bronchodilator, delivery of, in anesthesia circuit (CO) [Diamond], 531

Afterload, *See under* Heart

Age factors

prematurity

and cardiovascular changes in neonates receiving isoflurane, halothane, fentanyl, and ketamine (OA) [Friesen & Henry], 238

AIDS, *See under* Complications

Air embolism, *See under* Embolism

Airway, *See also under* Muscle

perforation

following laser surgery (CR) [Emery], 120

resistance

to histamine following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353

rupture with disposable double-lumen tube (CO) [Brodsky, Shulman & Mark], 415

suctioning

effect of lidocaine on ICP response to (CR) [Yano, Nishiyama, Yokota, Katō, Yamamoto & Otsuka], 651

tongue

hemimacroglossia and unilateral necrosis of, in long-duration neurosurgical procedure, 845

Airway occlusion pressure, *See under* Ventilation

Airway pressure, *See under* Monitoring

Airway response, *See under* Histamine

Alarms, *See under* Complications; Equipment; Monitoring

Alcohols

in study of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Branswell & Miller], 694

Alcuronium, *See under* Neuromuscular relaxants

Alfentanil, *See under* Analgesics, narcotic; Anesthetics, intravenous

Alpha-adrenergic agonist, *See under* Sympathetic nervous system

Amines, *See under* Anesthetics, local

Amino acids, *See under* Brain; Liver

Amniotic fluid, *See under* Embolism

Analgesics

alfentanil

concentration versus effects in dogs (OA) [Arndt, Bednarski & Parasher], 345

rigidity induced by, physiology of (OA) [Benthuyssen, Smith, Sanford, Head & Dec-Silver], 440

fentanyl

potency versus cost of (CO) [Aldrete], 843

potency versus cost of (CO) [Marina], 842

potency versus cost of (CO) [Polta], 843

intravenous

meperidine

effects of, on hemodynamics, plasma catecholamines, angiotensin I, aldosterone, and histamine concentrations in elderly men (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815

methadone

and morphine, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

morphine

cardiac pain induced by? (CO) [Maltby & Williams], 527

and methadone, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

narcotic

alfentanil

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

buprenorphine

early respiratory depression resistant to naloxone following (CR) [Knape], 382

complications

resistant to naloxone following epidural buprenorphine (CR) [Knape], 382

fentanyl

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

prolonged antagonism of opioid action with intravenous nal-mefene in man (OA) [Gal & DiFazio], 175

lofentanil

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

morphine

epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43

influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

potency *versus* cost of (CO) [Aldrete], 843

potency *versus* cost of (CO) [Marina], 842

potency *versus* cost of (CO) [Polta], 843

respiratory depression

resistant to naloxone following epidural buprenorphine (CR) [Knape], 382

sufentanil

intrathecally administered in rat and cat, studies of pharmacology and pathology of (OA) [Yaksh, Noueihed & Durant], 54

tolerance

in epidural injections in chronically implanted rats (OA) [Durant & Yaksh], 43

nonnarcotic

aspirin

usefulness of post-aspirin bleeding time in use of (CR) [Hindman & Koka], 368

sufentanil

effects of, on spinal pain-transmission neurons in cats (OA) [Aoki, Senami, Kitahata & Collins], 225

potency *versus* cost of (CO) [Aldrete], 843

potency *versus* cost of (CO) [Marina], 842

potency *versus* cost of (CO) [Polta], 843

Analyzers, See under Equipment

Anesthesia, See also under History; Induction

cardiac

and barbiturate cerebral protection during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165

and intraoperative tension pneumopericardium with tamponade after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641

cardiovascular

and barbiturate-induced brain protection in man (EV) [Michenfelder], 140

halothane in, and myocardial ischemia (OA) [Buffington], 632

cardiovascular effects

in preterm neonates (OA) [Friesen & Henry], 238

costs

differences in (CO) [Aldrete & Hendricks], 656

history

in military surgery (CO) [Tverskoy], 661

libraries, departmental

dyscosmesis delays disappearance (CO) [Smith], 133

military

history of (CO) [Tverskoy], 661

morbidity

fetal, and surgery during pregnancy (OA) [Duncan, Pope, Cohen & Greer], 790

neurosurgical

and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453

isoflurane and intracranial pressure during (CO) [Finck], 833

isoflurane and intracranial pressure during (CO) [Grosslight & Bedford], 834

long-duration, hemimacroglossia and unilateral ischemic necrosis of tongue in (CO) [Teepie, Maroon & Rueger], 845

PEEP, air embolism, and atrial pressures during (OA) [Pearl & Larson], 724

obstetric

cesarean section

bilateral uterine displacement device for (CO) [Curmarnik & Horowitz], 654

for cesarean section in patients with genital herpes infections (CR) [Ramanathan, Sheth & Turndorf], 807

epinephrine for, in gravid ewes (OA) [Hood, Dewan & James], 610

peripartum, succinylcholine pharmacodynamics in (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202

should end-tidal P_{CO_2} be standard of care for? (CO) [Choi, Tremper & Garber], 829

and surgery, fetal risk of (OA) [Duncan, Pope, Cohen & Greer], 790

trimethaphan for use in preeclampsia during (CO) [Sosis & Leighton], 657

ophthalmic

lidocaine in, for control of coughing during standby cataract surgery (CO) [Fenton], 847

phenylephrine eyedrops and (CR) [Van Der Spek & Hantler], 812

outpatient

for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402

pediatric

continuous infusion of atracurium in (OA) [Goudsouzian, Martyn, Rudd, Liu & Lineberry], 171

difficult, fiberoptic bronchoscope in (CO) [Berthelsen & Jacobsen], 668

difficult, fiberoptic bronchoscope in (CO) [Laravuso & Perloff], 668

hemodynamic and cardiovascular effects of isoflurane and halothane in (OA) [Wolf, Neal & Peterson], 328

for acute epiglottitis (CO) [Williams], 663

for infants during radiotherapy: an insufflation technique (CR) [Brett, Wara & Hamilton], 402

and intraoperative tension pneumopericardium with tamponade after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641

mask induction

"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837

in midline facial defects, method to secure endotracheal tube for (CR) [Jobes & Nicolson], 643

preterm neonates using isoflurane, halothane, fentanyl, and ketamine, cardiovascular changes in (OA) [Friesen & Henry], 238

sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13

and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133

spinal, in premature infants recovering from respiratory distress

- syndrome (CR) [Harnik, Hoy, Potoicchio, Stewart & Siegelman], 95
- tracheo-bronchial angles in infants and children and (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374
- potency**
- fentanyl**
- and cost of (CO) [Marina], 842
- versus cost of (CO) [Polta], 843
- sufentanil**
- and cost (CO) [Aldrete], 843
- and cost (CO) [Marina], 842
- versus cost of (CO) [Polta], 843
- pregnancy**
- and surgery, fetal risk of (OA) [Duncan, Pope, Cohen & Greer], 790
- radiation therapy**
- and remote monitoring for (CR) [Bashein, Russell & Momii], 804
- surgical**
- introduction of (CO) [Fink], 296
- teratology**
- and surgery during pregnancy (OA) [Duncan, Pope, Cohen & Greer], 790
- therapeutic**
- epidural blood patch (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820
- thoracic**
- end-tidal CO₂ analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- Anesthesia records, See under Records**
- Anesthesiologists**
- women, status of, in academic anesthesiology (SA) [Wilkinson & Linde], 496
- Anesthesiology**
- academic, status of women in (SA) [Wilkinson & Linde], 496
- Anesthetic**
- volatile**
- halothane**
- does not alter left ventricular compliance (OA) [Greene & Gerson], 230
- Anesthetic techniques**
- blood patch**
- epidural (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820
- continuous infusion**
- alfentanil and fentanyl compared in, for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
- midazolam in, in intensive care unit (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394
- endobronchial**
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- endobronchial intubation**
- proper positioning of double-lumen tubes, end-tidal CO₂ analyzers in (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
- endotracheal**
- blind (CO) [Shapiro & Unger], 297
- using lighted stylet, compared with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- epidural**
- benefits of continuous intercostal nerve block over (CO) [Mid-daugh, Bauman & Menk], 670
- benefits of continuous intercostal nerve block over (CO) [Murphy], 669
- for chronic pain management facilitated by field block (CO) [Catchlove], 536
- comparison of lidocaine hydrocarbonate and lidocaine hydrochloride for (CO) [Bromage & Nickel], 126
- comparison of lidocaine hydrocarbonate and lidocaine hydrochloride for (CO) [Cole & McMorland], 126
- epinephrine for intravenous placement in, effects of, in gravid ewes (OA) [Hood, Dewan & James], 610
- method to prevent heel sores during (CO) [Brighthouse], 536
- morphine in, influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
- subdural catheterized in—probably not (CO) [Redick], 838
- subdural catheterized in—probably not (CO) [Stevens], 839
- subdural catheterized in—probably not (CO) [West], 838
- of test dose containing epinephrine, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839
- and venous return, influence on baroreflex control of heart rate (OA) [Baron, Decaux-Jacot, Edouard, Berdeaux & Samii], 188
- epidural narcotic**
- in chronically implanted rats: pharmacologic and pathologic study (OA) [Durant & Yaksh], 43
- hypotension**
- isoflurane-induced, effect of, on cerebral blood flow and cerebral metabolic rate for oxygen (OA) [Newman, Gelb & Lam], 307
- hypotension, induced**
- adenosine**
- cerebral oxygen tension in rats during (OA) [Seyde & Long-necker], 480
- nitroprusside**
- cerebral oxygen tension in rats during (OA) [Seyde & Long-necker], 480
- infiltration**
- for chronic pain management facilitated by field block (CO) [Catchlove], 536
- insufflation**
- anesthesia for infants during radiotherapy (CR) [Brett, Wara & Hamilton], 402
- intrathecal**
- in studies of pharmacology and pathology of 4-anilinopiperidine analogues and morphine in rat and cat (OA) [Yaksh, Noueihed & Durant], 54
- intravenous regional**
- for surgery on foot and ankle (CR) [Nusbaum & Hamelberg], 91
- intubation technique**
- tip of double-lumen endotracheal tube wedged in left lower lobe bronchus (CO) [Greene & Gutierrez], 406
- lighted stylet**
- guided orotracheal intubation using, comparison with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- lumbar**
- for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine in (CR) [Abraham, Harris, Maxwell & Kaplow], 116
- lumbar epidural**
- blood patch (CR) [Szeinfeld, Ihmeidan, Moser, Machado, Klose & Serafini], 820

- mask induction**
"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837
- opiate**
in studies of pharmacology and pathology of 4-anilinopiperidine analogues and morphine in rat and cat (OA) [Yaksh, Noueihed & Durant], 54
- oro-tracheal**
guided, using lighted stylet, comparison with direct laryngoscopic technique (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
- peridural**
lumbar
buprenorphine in, early respiratory depression resistant to naloxone following (CR) [Knape], 382
for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine in (CR) [Abraham, Harris, Maxwell & Kaplow], 116
- priming principle**
refining of, for vecuronium during rapid-sequence induction of anesthesia (OA) [Taboada, Rupp & Miller], 243
- puncture**
percutaneous, of internal jugular vein, real-time ultrasonic guidance for (CO) [Yonei, Nonoue & Sari], 830
- rapid sequence**
refining priming principle for vecuronium during (OA) [Taboada, Rupp & Miller], 243
- regional**
brachial plexus block
incidence of Horner syndrome with (CO) [Al-Khafaji & Elias], 127
for chronic pain management facilitated by field block (CO) [Catchlove], 536
- intercostal**
continuous (CO) [Middaugh, Bauman & Menk], 670
continuous (CO) [Murphy], 669
- intravenous**
confusion regarding experimental studies of (CO) [Grice, Morrell & Balestrieri], 526
- stellate block**
seizure following, after negative aspiration and test dose (CO) [Ellis & Ramamurthy], 533
- spinal**
for chronic pain management facilitated by field block (CO) [Catchlove], 536
with meperidine, effects in elderly men (CR) [Cozian, Pinaud, Lepage, Lhoste & Souron], 815
in premature infants recovering from respiratory distress syndrome (CR) [Harnik, Hoy, Potolicchio, Stewart & Siegelman], 95
and prolonged diabetes insipidus subsequent to chemical meningitis (CR) [Garfield, Andriole, Vetto & Richie], 253
- spinal narcotics**
sufentanil in, effects on spinal pain-transmission neurons in cats (OA) [Aoki, Senami, Kitahata & Collins], 225
- sympathetic block**
neurolytic
in Raynaud's phenomenon (CR) [Skeehan & Cory], 119
- Anesthetic toxicity, See under Toxicity**
- Anesthetics**
gases
nitrous oxide
carcinogen bioassay of, in mice (OA) [Baden, Kundomal, Luttrupp, Mazze & Kosek], 747
cell proliferation in developing brain after brief exposure to (OA) [Rodier, Aschner, Lewis & Koeter], 680
influence of, on methionine, S-adenosylmethionine and other amino acids (OA) [Viña, Davis & Hawkins], 490
reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
in study of power spectrum changes during induction with enflurane (OA) [Levy], 688
- intravenous**
alfentanil
and fentanyl compared for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
rigidity induced by, physiology of (OA) [Benthuyssen, Smith, Sanford, Head & Dec-Silver], 440
- diazepam**
variability of respiratory response to (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- droperidol**
pharmacokinetics of, in anesthetized patients (OA) [Fischler, Bonnet, Trang, Jacob, Levron, Flaisler & Vourc'h], 486
- etomidate**
regional brain glucose utilization in rats during (OA) [Davis, Mans, Biebuyck & Hawkins], 751
- fentanyl**
and alfentanil compared for outpatient anesthesia (CR) [White, Coe, Shafer & Sung], 99
coronary perfusion scans during anesthetic induction using (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157
induction of, effects of clonidine on narcotic requirements and hemodynamic response during (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36
interchanging of, with sufentanil, potential hazard of (CO) [Griffiths], 410
interchanging of, with sufentanil, potential hazard of (CO) [Ward & Sanford], 410
and pancuronium and myocardial ischemia (CO) [Levy], 659
and pancuronium and myocardial ischemia (CO) [Thomson & Putnins], 660
in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334
potency *versus* cost of (CO) [Polta], 843
prophylactic nitroglycerin during coronary artery bypass surgery with (OA) [Gallagher, Moore, Jose, Botros & Clark], 785
in study of potency *versus* cost of narcotics (CO) [Aldrete], 843
in study of potency *versus* cost of narcotics (CO) [Marina], 842
- flunitrazepam**
physostigmine antagonism of acute intoxication by (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- ketamine**
induction and intubation, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718
and monitoring for pediatric radiation therapy (CO) [Davies], 406
- ketamine isomers**
differential effects of, on neuronal and extraneuronal catecholamine uptake mechanisms (LR) [Lundy, Lockwood, Thompson & Frew], 359
- midazolam**
effects of, on coronary circulation, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouiouche & Desmonts], 206
for sedation in intensive care unit (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394

- morphine**
cardiac pain induced by? (CO) [Maltby & Williams], 527
- sufentanil**
interchanging of, with fentanyl, potential hazard of (CO) [Griffiths], 410
interchanging of, with fentanyl, potential hazard of (CO) [Ward & Sanford], 410
potency of (CO) [Goldberg & McKenna], 667
potency of (CO) [Griffiths], 667
potency of (CO) [Hilberman & Hyer], 665
potency *versus* cost of (CO) [Polta], 843
in study of potency *versus* cost of narcotics (CO) [Aldrete], 843
in study of potency *versus* cost of narcotics (CO) [Marina], 842
with vecuronium, rapid administration of, bradycardia and asystole following (CR) [Starr, Sethna & Estafanous], 521
- thiamylal**
prolonged hyporesponsiveness of airway smooth muscle to histamine following (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758
- thiopental**
for cerebral protection during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165
in demonstration of barbiturate-induced brain protection in man (EV) [Michenfelder], 140
- local**
administered topically: sterile or not? (CO) [Halevy], 535
- amides**
in malignant hyperthermia (CO) [Moore], 294
- benzocaine**
dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
methemoglobinemia induced by, in Sprague-Dawley rats (CO) [Engelbach & Harp], 132
- bupivacaine**
dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
epidural injections of, in chronically implanted rats (OA) [Durant & Yaksh], 43
neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29
- chloroprocaine**
neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29
- cocaine**
in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
and introduction of surgical local anesthesia (CO) [Fink], 296
- dibucaine**
dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
- esters**
in malignant hyperthermia (CO) [Moore], 294
and introduction of surgical local anesthesia (CO) [Fink], 296
- lidocaine**
1.5%, with 7.5% dextrose and epinephrine, efficacy of, as test dose for obstetrics (CR) [Abraham, Harris, Maxwell & Karpow], 116
in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
for control of coughing during standby cataract surgery (CO) [Fenton], 847
depresses synaptic activity in rat hippocampal slice (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501
dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
effect of, on ICP response to endotracheal suctioning (CR) [Yano, Nishiyama, Yokota, Kato, Yamamoto & Otsuka], 651
effects of myocardial contractility and baroreflex control of heart rate in dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29
seizures induced by, local cerebral blood flow during (OA) [Tommasino, Mackawa & Shapiro], 771
- lidocaine hydrocarbonate**
and lidocaine hydrochloride, compared for epidural blockade (CO) [Bromage & Nickel], 126
and lidocaine hydrochloride, compared for epidural blockade (CO) [Cole & McMorland], 126
- lidocaine hydrochloride**
and lidocaine hydrocarbonate, compared for epidural blockade (CO) [Bromage & Nickel], 126
and lidocaine hydrocarbonate, compared for epidural blockade (CO) [Cole & McMorland], 126
- test dose**
for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine as (CR) [Abraham, Harris, Maxwell & Karpow], 116
- tetracaine**
dual effect of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
neurotoxicity of: altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29
- potency**
fentanyl
and cost (CO) [Aldrete], 843
- volatile**
enflurane
biotransformation of, in patients with hyperthyroidism (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387
and calcium blocking drugs in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568
conscious-state comparisons of effects of, on specialized atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703
differences in costs of (CO) [Aldrete & Hendricks], 656
differential depression of myocardial contractility by, in vitro (OA) [Lynch], 620
inhibition of neutrophil cidal activity by (EV) [Welch], 1
inhibition of superoxide production and Ca^{2+} mobilization by (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
postoperative hepatic dysfunction after, in hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122
power spectrum correlates of changes in consciousness during anesthetic induction with (OA) [Levy], 688
reproductive and teratogenic effects of, in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
sensitivity of neonatal rat atrial contraction to (OA) [Rao, Boyer, Krishna & Paradise], 13
- ether**
anesthesia with, in military surgery, history of (CO) [Tverskoy], 661

Antiarrhythmia, See under Heart
Aortic surgery, See under Surgery

Arrhythmias, See under Heart**Arterial venous pressure, See under Monitoring****Arteries, See also under Blood pressure****cannulation**

tidy adjunct to (CO) [Sabo & Smith], 534

fistula

unexpected, in arm of intravenous drug abuser (CO) [Greene], 842

pulmonary, pressure in**Arthritis, See under Complications****Aspiration, See under Complications; Lung(s)****Aspirin, See under Analgesics, nonnarcotic; Blood****Asystole, See under Complications****Atracurium, See under Neuromuscular relaxants****Atria, See under Heart****Atrial pacing, See under Heart****Atropine, See under Parasympathetic nervous system****Autonomic neuropathy, See under Complications****Autoradiography, See under Measurement techniques****B****Baclofen, See under Acid analogues; Muscle****Baroreceptor reflexes, See under Blood pressure; Reflexes****Baroreflex, See under Reflexes****Benzocaine, See under Anesthetics, local****Benzodiazepinase, See under Receptors****Beta-adrenergic blocker, See under Sympathetic nervous system****Biotransformation**

of halothane and enflurane in patients with hyperthyroidism (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387

Bleeding time, See under Blood**Bleomycin, See under Toxicity****Blood****aspirin**

usefulness of post-aspirin bleeding time in use of (CR) [Hindman & Koka], 368

bleeding time

post-aspirin, usefulness of (CR) [Hindman & Koka], 368

coagulation

in heparin resistance prior to cardiopulmonary bypass (CR) [Anderson], 504

usefulness of post-aspirin bleeding time in assessment of (CR) [Hindman & Koka], 368

hemoglobin dissociation

isoflurane and, in humans (CO) [Lanza & Mercadante], 413

heparin

resistance prior to cardiopulmonary bypass (CR) [Anderson], 504

methemoglobinemia

benzocaine-induced, in Sprague-Dawley rats (CO) [Englebach & Harp], 132

neutrophils

inhibition by volatile anesthetics (EV) [Welch], 1

superoxide production and Ca^{2+} mobilization in, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4**reaction**

and fulminating noncardiogenic pulmonary edema following cardiopulmonary bypass (CR) [Latson, Kickler & Baumgartner], 106

Blood flow, See under Brain; Lung(s); Uterus**Blood patch, See under Anesthetic techniques****Blood pressure, See also under Monitoring****baroreceptor reflexes**

influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188

drug effects

of allentanil in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345

of esmolol after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herrington], 718

with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632

hypotension

influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188

hypotension, induced

cerebral oxygen tension in rats during (OA) [Seyde & Longnecker], 480

left ventricular end-diastolic

analysis of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230

measurement

and tidy adjunct to arterial cannulation (CO) [Sabo & Smith], 534

pulmonary arterial wedge pressure

and left ventricular end-diastolic volume after coronary artery bypass graft surgery, poor correlation between (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764

pulmonary artery

and left ventricular end-diastolic volume after coronary artery bypass graft surgery, poor correlation between (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764

pulmonary capillary wedge

analysis of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230

Body temperature, See under Temperature**Book reviews**Carlson, C. C., and Howland, W. S. (eds.), *High-Frequency Ventilation in Intensive Care and During Surgery*, 848Comroe, J., *Exploring the Heart: Discoveries in Heart Disease and High Blood Pressure*, 304Crawford, J. S., *Obstetric Analgesia and Anaesthesia*, 304Dorsch, J. S., and Dorsch, S. E., *Understanding Anesthesia Equipment*, second edition, 135Frost, E. A. M., *Clinical Anesthesia in Neurosurgery*, 416Kramer, M., *Invasive Procedures. A Year in the World of Two Surgeons*, 135Mannheimer, J. S., and Lampe, G. N., *Clinical Transcutaneous Electrical Nerve Stimulation*, 671Pichlmayr, I., Lips, U., and Kunkel, H., *The Electroencephalogram in Anesthesia*, 304Prys-Roberts, C., and Hug, C. C., Jr. (eds.), *Pharmacokinetics of Anesthesia*, 671Silverman, W. A., *Human Experimentation: A Guided Step into the Unknown*, 848Steward, D. J., *Manual of Pediatric Anesthesia*, 671Zapol, W. M., and Falke, K. J., *Acute Respiratory Failure*, 136**Brachial plexus block, See under Anesthetic techniques, regional****Bradycardia, See under Complications****Brain****amino acids**

influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

blood flow

and cerebral function, after complete cerebral ischemia in dog (OA) [Stangland, Milde & Michenfelder], 430

effect of isoflurane-induced hypotension on (OA) [Newman, Gelb & Lam], 307

effects of flunarizine on (OA) [Deshpande & Wieloch], 215

following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551

regional

during lidocaine-induced seizures in rats (OA) [Tommasino, Maekawa & Shapiro], 771

regional, isoflurane, halothane and, at various levels of P_{aCO_2} in rabbits (OA) [Scheller, Todd & Drummond], 598

cerebral blood flow

response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576

CO₂ response

various levels of, isoflurane, halothane and regional cerebral blood flow at, in rabbits (OA) [Scheller, Todd & Drummond], 598

convulsions

and effect of lidocaine on hippocampus *in vitro* (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501

delayed neuronal necrosis

effect of isoflurane on, following near-complete forebrain ischemia in rat (OA) [Warner, Deshpande & Wieloch], 19

development

after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 673

cell proliferation in, after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680

electroencephalogram

in assessment of cerebral stimulation following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551

in study of power spectrum changes during induction with enflurane (OA) [Levy], 688

electroencephalography

during lidocaine-induced seizures in rats (OA) [Tommasino, Maekawa & Shapiro], 771

in study of physiology of alfentanil-induced rigidity (OA) [Benthuyzen, Smith, Sanford, Head & Dec-Silver], 440

forebrain ischemia

effect of isoflurane on neuronal necrosis following (OA) [Warner, Deshpande & Wieloch], 19

function

in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751

glucose metabolism

in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751

hippocampus

effect of lidocaine on, *in vitro* (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501

infarction

neurosurgery in, intraoperative glucose during (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453

intracranial

following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551

intracranial pressure

isoflurane and (CO) [Finck], 833

isoflurane and (CO) [Grosslight & Bedford], 834

ischemia

complete, canine cerebral function and blood flow after (OA) [Stangland, Milde & Michenfelder], 430

effects of flunarizine on (OA) [Deshpande & Wieloch], 215

metabolism

effect of isoflurane-induced hypotension on (OA) [Newman, Gelb & Lam], 307

following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551

mitosis

after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680

in developing brain after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680

neurogenesis

after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680

in developing brain after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 680

oxygen consumption

following succinylcholine in dogs (OA) [Lanier, Milde & Michenfelder], 551

oxygen tension

in rats during deliberate hypotension (OA) [Seyde & Longnecker], 480

protection

by barbiturate during cardiopulmonary bypass (OA) [Nussmeier, Arlund & Slogoff], 165

barbiturate-induced, in man, demonstration of (EV) [Michenfelder], 140

respiratory depression

flunitrazepam-induced, effect of physostigmine on (OA) [Vatashsky, Beilin, Razin & Weinstock], 248

seizures

lidocaine-induced, local cerebral blood flow during (OA) [Tommasino, Maekawa & Shapiro], 771

stroke

after cardiopulmonary bypass, protection by barbiturate (OA) [Nussmeier, Arlund & Slogoff], 165

unconsciousness

flunitrazepam-induced, effect of physostigmine on (OA) [Vatashsky, Beilin, Razin & Weinstock], 248

Breathing pattern, See under Ventilation

Bronchopleural fistula, See under Lung(s)

Bronchoscopes, See under Equipment

Bronchoscopy, See under Surgery

Bronchus, See under Lung(s)

Bupivacaine, See under Anesthetics, local

Buprenorphine, See under Analgesics, narcotic

Burns, See under Complications

C

Calcium, See under Heart, antiarrhythmia; Ions

Calcium blockers, See under Ions

Cannulation, See under Arteries; Veins

Carbon dioxide, See also under Metabolism

cerebral blood flow

response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576

- hypercarbia**
and cerebral blood flow during anesthesia in rabbits (OA) [Scheller, Todd & Drummond], 598
in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24
pulmonary vascular responses to, after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311
- hypocarbica**
and cerebral blood flow during anesthesia in rabbits (OA) [Scheller, Todd & Drummond], 598
pulmonary vascular responses to, after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311
- hypothermia**
during hypothermic cardiopulmonary bypass, response of cerebral blood flow to (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
- occlusion pressure response**
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
and variability of respiratory response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- production**
and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- transcutaneous**
for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
- ventilatory response**
in prolonged opioid antagonism with nalmefene (OA) [Gal & DiFazio], 175
and variability of respiratory response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
- Carbon dioxide response, See under Ventilation**
- Carcinogenicity, See under Toxicity**
- Cardiac arrest, See under Heart**
- Cardiac compliance, See under Heart**
- Cardiac contractility, See under Heart**
- Cardiac massage, See under Heart**
- Cardiac output, See under Heart; Measurement techniques**
- Cardiac rhythm, See under Heart**
- Cardiac surgery, See under Surgery**
- Cardiovascular anesthesia, See under Anesthesia**
- Cardiovascular surgery, See under Surgery**
- Carlson, C. C., and Howland, W. S. (eds.)**
High-Frequency Ventilation in Intensive Care and During Surgery, (BR), 848
- Carotid endarterectomy, See under Surgery**
- Catecholamines, See under Hormones; Sympathetic nervous system**
- Catheters, See under Equipment; Monitoring**
- Cerebral blood flow, See under Brain; Carbon dioxide; Hypothermia**
- Cerebrospinal fluid**
pressure
response, to endotracheal suctioning, effect of lidocaine on (CR) [Yano, Nishiyama, Yokota, Kato, Yamamoto & Otsuka], 651
- Cesarean section, See under Anesthesia, obstetric**
- Chloroprocain, See under Anesthetics, local**
- Cholinesterase, See under Enzymes**
- Cimetidine, See under Histamine; Pharmacology**
- Circuits, See under Equipment**
- Clonidine, See under Pharmacology; Premedication; Sympathetic nervous system**
- Coagulation, See under Blood**
- Cocaine, See under Anesthetics, local**
- CO₂ response, See under Brain**
- Compliance, See under Heart; Lung(s)**
- Complications**
- AIDS**
anesthetic management of patients with (CO) [Arden], 660
- air embolism**
venous, detection of, by airway pressure monitoring (CR) [Sloan & Kimovec], 645
- alarms**
help or hindrance (CO) [Schmidt & Baysinger], 654
- arterial injection**
arteriovenous fistula in arm of intravenous drug abuser (CO) [Greene], 842
- arthritis**
as cause of difficult endotracheal intubation (CR) [Salzarulo & Taylor], 366
- aspiration**
foreign body, during fiberoptic-assisted intubation (CO) [], 303
after priming dose of vecuronium (CR) [Musich & Walts], 517
and use of cricoid pressure, awake intubation, or both (CO) [Kempen], 831
and use of cricoid pressure, awake intubation, or both (CO) [Salem, Joseph, Heyman & Paulissian], 832
- asystole**
and bradycardia, following rapid administration of sufentanil with vecuronium (CR) [Starr, Sethna & Estafanous], 521
- autonomic neuropathy**
in diabetic patient with renal failure (CR) [Ciccarelli, Ford & Tsueda], 283
- bradycardia**
associated with baclofen during general anesthesia (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255
- burns**
in use of "innovated" cylinder valve handle for cracking valve (CO) [Riddle], 659
in use of "innovated" cylinder valve handle for cracking valve (CO) [Yamashita, Motokawa & Watanabe], 658
- convulsions**
following stellate ganglion block after negative aspiration and test dose (CO) [Ellis & Ramamurthy], 533
- coughing**
lidocaine for control of, during standby cataract surgery (CO) [Fenton], 847
- decubitus**
simple, inexpensive method to prevent (CO) [Brighthouse], 536
- diabetes**
as cause of difficult endotracheal intubation (CR) [Salzarulo & Taylor], 366
- diabetes insipidus**
prolonged, subsequent to chemical meningitis (CR) [Garfield, Andriole, Vetto & Richie], 253
- edema**
noncardiogenic pulmonary, following cardiopulmonary bypass (CR) [Latson, Kickler & Baumgartner], 106
- epiglottitis**
acute
anesthesia for (CO) [Williams], 663
- esophageal intubation**
and end-tidal P_{CO₂} should it be standard of care in obstetric anesthesia? (CO) [Choi, Tremper & Garber], 829
- facial nerve paralysis**
after general anesthesia, in Heerfordt's syndrome (CR) [Vaghadia], 513

gas leak

- potential source of (CO) [Daniell], 298
- potential source of (CO) [Raja & Geller], 297

genital herpes infections

- anesthesia for cesarean section in patients with (CR) [Ramanathan, Sheth & Turndorf], 807

head injury

- management of, incidence of Horner syndrome with interscalene brachial plexus block and (CO) [Al-Khafaji & Elias], 127

Heerfordt's syndrome

- in facial paresis after general anesthesia (CR) [Vaghadia], 513

hemimacroglossia

- of tongue in long-duration neurosurgical procedure (CO) [Teeple, Maroon & Rueger], 845

hoarseness

- in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Ble-yaert & Berkebile], 823

hypertension

- in phenylephrine eyedrops and anesthesia (CR) [Van Der Spek & Hantler], 812
- and rectal clonidine in perioperative period (CR) [Johnston, Nicholas, Lawson, Wallfisch & Arens], 288

hypotension

- associated with baclofen during general anesthesia (CR) [Sill, Schumacher, Southorn, Reuter & Yaksh], 255
- with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632

hypothermia

- and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133

hypoxia

- following tricuspid valve resection (CR) [Fyman, Stein, Gotta, Casthely, Ergin & Griep], 113

infection

- of health-care workers with AIDS, anesthetic management for prevention of (CO) [Arden], 660

intravascular injection

- of epinephrine, monitoring maternal heart rate during (CO) [Chestnut & Wiener], 839

intubation

- as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536

ischemic necrosis

- of tongue in long-duration neurosurgical procedure (CO) [Teeple, Maroon & Rueger], 845

meningitis

- chemical, prolonged diabetes insipidus subsequent to (CR) [Garfield, Andriole, Vetto & Richie], 253

movement

- unusual cause of, during anesthesia (CR) [Adragna], 89

myasthenia gravis

- vecuronium for muscle relaxation in patients with (CR) [Buzello, Noeldge, Krieg & Brobmann], 507

myocardial ischemia

- with halothane in coronary stenosis mediated by changes in hemodynamics (OA) [Buffington], 632

pneumothorax

- in esophageal perforation associated with endotracheal intubation (CR) [Johnson & Hood], 281

preeclampsia

- defense of trimethaphan for use in (CO) [Sosis & Leighton], 657

pulmonary

- occurring in recovery room after general anesthesia (CR) [Beard, Jick & Walker], 269

pulmonary artery catheter

- frozen: complication associated with cryoablation of ventricle (CO) [Zahl, Murray & Jobes], 662
- proximal port dysfunction, erroneous cardiac output determination due to (CO) [Curley, Harte & Sheikh], 662

pulmonary artery perforation

- during cardiac surgery (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258

pulmonary artery pressure

erroneously high

- in frozen pulmonary artery catheter (CO) [Zahl, Murray & Jobes], 662

pulmonary edema

- due to cutaneous bronchopleural fistula (CR) [Briser, Barnette & Reardon], 802

rigidity

- following sufentanil (CO) [Goldberg & McKenna], 667
- following sufentanil (CO) [Griffiths], 667
- following sufentanil (CO) [Hilberman & Hyer], 665

sore throat

- in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Ble-yaert & Berkebile], 823

stroke

- and barbiturate-induced brain protection in man (EV) [Michenfelder], 140

subdural injection

- during epidural catheterization—probably (CO) [Stevens], 839
- during epidural catheterization—probably not (CO) [Redick], 838
- during epidural catheterization—probably not (CO) [West], 838

venous entrapment

- in external jugular cannulation (CO) [Hey, Mahood & Pietak], 836

Computers, See under Equipment; Monitoring

Comroe, J.

- Exploring the Heart: Discoveries in Heart Disease and High Blood Pressure* (BR), 304

Conduction, See under Heart

Continuous infusion, See under Anesthetic techniques

Contractility, See under Heart

Convulsions, See under Brain; Complications

Coronary artery disease, See under Heart

Coronary blood flow, See under Heart

Coronary flow, See under Heart

Coronary stenosis, See under Heart

Costs, anesthesia, See under Anesthesia

Coughing, See under Complications

Crawford, J. S.

- Obstetric Analgesia and Anesthesia* (BR), 304

Creatinine, See under Kidney

Cricoid pressure, See under Larynx

Cyclophosphamide, See under Interactions

Cylinders, See under Equipment

D

Dantrolene, See under Neuromuscular relaxants

Decubitus, See under Complications

Departmental libraries, See under Anesthesia; Education

Diabetes, See under Complications; Metabolism

Diabetes insipidus, See under Complications

Diaphragm, See under Muscle, skeletal

Diazepam, See under Anesthetics, intravenous

Dibucaine, See under Anesthetics, local

Digoxin, See under Pharmacology

Dorsch, J. S., and Dorsch, S. E.,

Understanding Anesthesia Equipment, second edition (BR), 135

Dose-response, *See under* Pharmacology

Drapes, surgical, *See under* Equipment

Droperidol, *See under* Anesthetics, intravenous; Pharmacokinetics

Drug interactions, *See under* Pharmacology

Dysrhythmia, *See under* Heart

E

Echocardiography, *See under* Equipment; Measurement techniques; Monitoring

Edema, *See under* Complications; Lung(s)

Edrophonium, *See under* Antagonists, neuromuscular relaxants

Education

animal rights and biomedical research (EV) [Shapiro], 142

libraries, departmental

dyscosmesis delays disappearance (CO) [Smith], 133

status of women in academic anesthesiology (SA) [Wilkinson & Linde], 496

Electrocardiography, *See under* Heart; Monitoring

Electroencephalogram, *See under* Brain

Electroencephalography, *See under* Brain

Electromyography, *See under* Muscle

Embolism

air

detection of, in neurosurgical patients, transcutaneous O₂ and CO₂ monitoring for (OA) [Glenski & Cucchiara], 546

paradoxical

hemodynamic effects of positive end-expiratory pressure during (OA) [Pearl & Larson], 724

pulmonary, in pediatric patients undergoing central catheter placement (CR) [Leicht & Waldman], 519

subclavian vein catheter as source of, in sitting position (CO) [Kloosterboer, Springman & Coursin], 411

venous, detection of, by airway pressure monitoring (CR) [Sloan & Kimovec], 645

venous, transesophageal echocardiography and transcutaneous O₂ and CO₂ monitoring for detection of (OA) [Glenski, Cucchiara & Michenfelder], 541

amniotic fluid

left heart failure in (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262

End tidal carbon dioxide, *See under* Monitoring

End-diastolic volume, *See under* Heart

End-expiratory pressure, *See under* Ventilation

Endobronchial intubation, *See under* Anesthetic techniques

Endobronchial technique, *See under* Anesthetic techniques

Endotracheal anesthesia, *See under* Anesthetic techniques

Endotracheal intubation, *See under* Intubation

Enflurane, *See under* Anesthetics, volatile

Enzymes

cholinesterase

inhibition of, in physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248

methionine synthase

influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

methionine synthetase

influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490

Epidural anesthesia, *See under* Anesthetic techniques, epidural

Epidural narcotics, *See under* Anesthetic techniques

Epiglottitis, *See under* Complications

Epinephrine, *See under* Sympathetic nervous system

Equipment

alarms

anesthesia (CO) [Samuels], 128

help or hindrance (CO) [Schmidt & Baysinger], 654

that speak (CO) [Burke], 655

analyzers

and alarms, difficulties in distinguishing signals of (CO) [Schmidt & Baysinger], 654

anesthesia mask

"fruit-flavored," for children (CO) [Yamashita & Motokawa], 837

bronchoscope

fiberoptic

improved technique for use of (CO) [Green], 835

catheter

Broviac®

air embolism following central venous insertion of, in pediatric patient (CR) [Leicht & Waldman], 519

flow-directed

in study of injectate volume and temperature on thermomodulation cardiac output determination (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798

Hickman®

air embolism following central venous insertion of, in pediatric patient (CR) [Leicht & Waldman], 519

catheters

central venous

multiple-lumen, methylene blue aids replacement of (CO) [Wong & Lupei], 842

multiorificed

placement of, with intravascular electrocardiographic technique (CO) [Johans], 411

pulmonary artery

multiple-lumen, methylene blue aids replacement of (CO) [Wong & Lupei], 842

subclavian vein

as source of air emboli in sitting position (CO) [Kloosterboer, Springman & Coursin], 411

circuits

Magill

and eponyms used in anesthesiology (CO) [Mapleson], 829

Mapleson

and eponyms used in anesthesiology (CO) [Mapleson], 829

computers

computerized anesthesia records may be dangerous (CO) [Noel], 300

cylinders

"innovated," valve handle of, do not use for cracking valve (CO) [Riddle], 659

"innovated," valve handle of, do not use for cracking valve (CO) [Yamashita, Motokawa & Watanabe], 658

drapes, surgical

method to secure on IV poles (CO) [Kataria & Chen], 302

echocardiography

in blunt chest injury: correlation with perioperative hypotension (CR) [Eisenach, Nugent, Miller & Mucha], 364

face-rest

head and chin cushioned, for surgery in prone position (CO) [Ray], 301

fiberoptic bronchoscope

for acute epiglottitis (CO) [Williams], 663

for difficult pediatric intubation (CO) [Berthelsen & Jacobsen], 668

for difficult pediatric intubation (CO) [Laravuso & Perloff], 668

fiberoptic bronchoscopes

- in simple technique for difficult endotracheal reintubations (CR) [Hudes, Fisher & Guslitz], 515

humidifier(s)

- as source of major gas leak (CO) [Daniell], 298
- as source of major gas leak (CO) [Raja & Geller], 297

disposable

- passive heat and moisture exchangers, do they keep the patient warm? (CR) [Haslam & Nielsen], 379

machines

- Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266

mass spectrometer

- better designs for, for use in awake patient (CO) [Norman, Zeig & Ahmad], 664

monitoring

- minimal requirements for—1986 (CO) [Modell], 840

monitors

- computerized anesthesia records may be dangerous (CO) [Noel], 300

nasal airway

- for mass spectrometer monitoring of awake patient (CO) [Norman, Zeig & Ahmad], 664

nebulizers

- for delivery of bronchodilators into anesthesia circuit (CO) [Diamond], 531

oximeter

- anesthesia and, for pediatric radiation therapy (CO) [Davies], 406

pulmonary artery catheter

- migration of, during cardiac surgery (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258
- proximal port dysfunction, erroneous cardiac output determination due to (CO) [Curley, Harte & Sheikh], 662

pulse oximeter

- in assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527

real-time ultrasonic guidance

- for percutaneous puncture of internal jugular vein (CO) [Yonei, Nonoue & Sari], 830

rhinoscope

- fiberoptic
- in adult intubation (CO) [Eriksen], 128

scavengers

- Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266

tubes

double-lumen

- disposable, airway rupture with (CO) [Brodsky, Shulman & Mark], 415

nasogastric

- and use of cricoid pressure, awake intubation, or both (CO) [Kempen], 831
- and use of cricoid pressure, awake intubation, or both (CO) [Salem, Joseph, Heyman & Paulissian], 832

vaporizers

- for delivery of bronchodilators into anesthesia circuit (CO) [Diamond], 531

ventilator

- conventional, use of in presence of bronchopleural fistula (CO) [Baxter], 835

ventilators

- Ohio® Modulus™, intraoperative air entrainment with (CR) [Lanier], 266

Esmolol, *See under Pharmacology; Sympathetic nervous system*

Esophageal monitoring problems, *See under Complications*

Esters, *See under Anesthetics, local*

Ether, *See under Anesthetics, volatile*

Etomidate, *See under Anesthetics, intravenous*

Experimental pain, *See under Pain*

Eye(s), *See also under Surgery*

intraocular pressure

- lidocaine for control of, during standby cataract surgery (CO) [Fenton], 847
- and succinylcholine and open eye injury (CO) [Donlon], 525
- and succinylcholine and open eye injury (CO) [Jantzen, Hackett & Earnshaw], 524
- and succinylcholine and open eye injury (CO) [Libonati, Leahy & Ellison], 525

F

Face-rest, *See under Equipment*

Facial nerve paralysis, *See under Complications*

Fasting, *See under Metabolism*

Fatty acids, *See under Metabolism*

Fentanyl, *See under Analgesics, narcotic; Anesthetics, intravenous; Pharmacokinetics*

Fetal heart rate, *See under Monitoring*

Fiberoptic bronchoscopes, *See under Equipment*

Fiberoptic intubation, *See under Intubation*

Fibrosis, *See under Lung(s)*

Fistula, *See under Arteries; Veins*

Flow-directed catheter, *See under Equipment*

Flunarizine, *See under Pharmacology*

Flunitrazepam, *See under Anesthetics, intravenous*

Forebrain, *See under Brain*

Free radicals, *See under Toxicity*

Frequency, *See under Ventilation*

Frost, E. A. M.

Clinical Anesthesia in Neurosurgery (BR), 416

Furosemide, *See under Pharmacology*

G

Gallamine, *See under Neuromuscular relaxants*

Gas exchange, *See under Ventilation*

Gas leak, *See under Complications*

Gases

nonanesthetic

nitrogen

- expiratory, and intraoperative air entrainment with Ohio® Modulus™ anesthesia machine (CR) [Lanier], 266

Genital herpes infections, *See under Complications*

Glucose, *See under Metabolism*

Glucose metabolism, *See under Brain*

H

Halothane, *See under Anesthetics, volatile*

Head injury, *See under Complications*

Heart

action potential

- differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

afterload

- as result of positive end-expiratory pressure (CO) [Berry], 130
- as result of positive end-expiratory pressure (CO) [Venus, Mathru & Smith], 131

antiarrhythmia**calcium**

in isorhythmic dissociation (CO) [Gottlieb, Satariano, Sethna & Millar], 407

arrhythmia(s)

in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703

intraoperative, chronic hypokalemia and (CO) [Glaser], 408

intraoperative, chronic hypokalemia and (CO) [Vitez & Soper], 409

treatment

in isorhythmic dissociation (CO) [Gottlieb, Satariano, Sethna & Millar], 407

atria

isometric contraction of, increased sensitivity of, to halothane, isoflurane, and enflurane (OA) [Rao, Boyer, Krishna & Paradise], 13

atrial pacing

myocardial ischemia induced by, isoflurane improves tolerance to (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147

beta adrenergic receptor

and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846

blood flow

in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560

in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632 and intravenous nitroglycerin to prevent intraoperative myocardial ischemia (CO) [Coriat], 409

cardiac arrest

canine cerebral function and blood flow after (OA) [Stangland, Milde & Michenfelder], 430

cardiac output

effect of injectate volume and temperature on thermodilution (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798

effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419

and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423

in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724

compliance

left ventricular, halothane does not alter (OA) [Greene & Gerson], 230

and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764

conduction

in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703

contractility

differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316

increased sensitivity to halothane, isoflurane, and enflurane, in neonate (OA) [Rao, Boyer, Krishna & Paradise], 13

coronary artery disease

effects of midazolam on coronary circulation in (OA) [Marty, Nitenberg, Blanchet, Zouiouche & Desmonts], 206

ischemia in, is anesthesia beneficial for? (EV) [Merin, Lowenstein & Gelman], 137

isoflurane improves tolerance to atrial pacing in (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147

coronary blood flow

combined effects of verapamil and isoflurane on, in dog (OA) [Campos & Kapur], 778

effects of midazolam on, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouiouche & Desmonts], 206

coronary flow

evaluation of, during anesthetic induction using thallium-201 perfusion scans (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157

coronary stenosis

and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632

dysrhythmia

during coronary artery bypass surgery (CR) [Weiskopf & Stead], 392

electrocardiography

in assessment of pancuronium and myocardial ischemia (CO) [Levy], 659

in assessment of pancuronium and myocardial ischemia (CO) [Thomson & Putnins], 660

in conscious-state comparisons of effects of inhalation anesthetics in dogs (OA) [Atlee, Brownlee & Burstrom], 703

end-diastolic volume

and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764

failure

left, in amniotic fluid embolism (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262

ischemia

evaluation of, during anesthetic induction using thallium-201 perfusion scans (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157

is anesthesia beneficial for? (EV) [Merin, Lowenstein & Gelman], 137

isoflurane improves tolerance to atrial pacing in (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147

massage

closed-chest, transesophageal echocardiographic observations in patient undergoing (CR) [Clements, de Bruijn & Kisslo], 826

myocardial contusion

echocardiographic evaluation of patients with (CR) [Eisenach, Nugent, Miller & Mucha], 364

myocardial function

effects of isoflurane and halothane on, in children (OA) [Wolf, Neal & Peterson], 328

and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632

myocardial ischemia

effect of prophylactic nitroglycerin on, during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785

and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632 intraoperative, intravenous nitroglycerin to prevent (CO) [Coriat], 409

myocardial metabolism

- combined effects of verapamil and isoflurane on, in dog (OA) [Campos & Kapur], 778
- effects of midazolam on, in coronary artery disease (OA) [Marty, Nitenberg, Blanchet, Zouieueche & Desmonts], 206

neonatal

- isometric contraction of, increased sensitivity of, to halothane, isoflurane, and enflurane (OA) [Rao, Boyer, Krishna & Paradise], 13

nitroglycerin

- prophylactic, during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785

no myocardial involvement in nonrigid malignant hyperthermia (CR)

- [Kawamoto, Yuge, Kikuchi, Kodama & Morio], 93

papillary muscle

- differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

perfusion scans

- evaluation of coronary flow during anesthetic induction using (OA) [Kleinman, Henkin, Glisson, El-Etr, Bakhos, Sullivan, Montoya & Pifarre], 157

polymorphous ventricular tachycardia

- during coronary artery bypass surgery (CR) [Weiskopf & Stead], 392

potassium

- tolerance to, β -adrenoceptor blockade and (CO) [Torretti, Gerson, Oats & Lange], 846

preload

- assessment of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230
- and pulmonary arterial wedge pressure, poor correlation between, after coronary artery bypass graft surgery (OA) [Hansen, Viquerat, Matthay, Wiener-Kronish, DeMarco, Bahtia, Marks, Botvinick & Chatterjee], 764
- as result of positive end-expiratory pressure (CO) [Berry], 130
- as result of positive end-expiratory pressure (CO) [Venus, Mathru & Smith], 131

propranolol

- and tolerance to potassium (CO) [Torretti, Gerson, Oats & Lange], 846

pulse rate

- and impaired systolic thickening associated with halothane, mediated by changes in hemodynamics (OA) [Buffington], 632

rate

- as effect of esmolol after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herrington], 718
- effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316
- in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345

rate response

- differential depression of, by halothane and isoflurane in vitro (OA) [Lynch], 620

rhythm

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

tamponade

- intraoperative tension pneumopericardium with, after ligation of patent ductus arteriosus in premature neonate (CR) [Hickey], 641

thermodilution determination

- effect of injectate volume and temperature on (LR) [Pearl, Rosenthal, Nielson, Ashton & Brown], 798

tricuspid regurgitation

- hypoxia following (CR) [Fyman, Stein, Gotta, Casthely, Ergin & Griep], 113

T-wave abnormalities

- following anesthesia and surgery (CR) [Breslow, Miller, Parker, Walman & Rogers], 398

vascular pressures

- in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724

ventricular function

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

volume

- assessment of, in study of halothane and left ventricular compliance (OA) [Greene & Gerson], 230

Heating, See under Temperature

Heerfordt's syndrome, See under Complications

Hemimacroglossia, See under Complications

Hemodynamics

- changes in, coronary stenosis mediated by, impaired systolic thickening associated with halothane and (OA) [Buffington], 632

PEEP

- effects of (CO) [Berry], 130
- effects of (CO) [Venus, Mathru & Smith], 131

Hemoglobin dissociation, See under Blood

Heparin, See under Blood

Hepatotoxicity, See under Liver

High frequency oscillatory ventilation, See under Ventilation

High-frequency ventilation, See under Ventilation

Hippocampus, See under Brain

Histamine

airway response

- prolonged hyporesponsiveness of, following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

cimetidine

- intravenous, hemodynamic effects of, in intensive care unit patients (CR) [Iberti, Paluch, Helmer, Murgolo & Benjamin], 87

History

anesthesia systems

- eponyms used for (CO) [Mapleson], 829

History of anesthesia, See under Anesthesia

Hoarseness, See under Complications

Hormones

catecholamines

- study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188

hyperthyroidism

- biotransformation of halothane and enflurane in patients with (CR) [Servin, Nivoche, Desmonts, Rice & Mazze], 387

renin-angiotensin

- study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188

- thyroid**
and postoperative hepatic dysfunction after halothane or enflurane anesthesia in patients with hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122
- vasopressin**
study of, in investigation of epidural anesthesia and venous return (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
- Horner syndrome, See under Sympathetic nervous system**
- Humidifier, See under Equipment**
- Humidifiers, See under Equipment**
- Hydralazine, See under Pharmacology**
- Hypercarbia, See under Carbon dioxide**
- Hyperglycemia, See under Metabolism**
- Hyperpyrexia, See under Hyperthermia**
- Hypertension, See under Complications**
- Hyperthermia**
hyperpyrexia
intraoperative (CO) [Crider, Nightengale & Hill], 413
- malignant**
associated with masseter spasm, high incidence of, improper diagnostic test and (CO) [Ellis & Halsall], 291
ester or amide local anesthetics in (CO) [Moore], 294
and masseter spasm are not the same thing (CO) [Schwartz, Rockoff & Koka], 292
and masseter spasm are not the same thing (CO) [Van Der Spek, Spargo & Nahrwold], 291
no abnormal low molecular weight proteins identified in (LR) [Whistler, Isaacs & Badenhorst], 795
nonrigid, no myocardial involvement in (CR) [Kawamoto, Yuge, Kikuchi, Kodama & Morio], 93
susceptibility, muscle proteins in diagnosis of (OA) [Walsh, Brownell, Littmann & Paasuke], 473
swine susceptible to, effect of CO₂, calcium, digoxin, and potassium on (OA) [Gronert, Ahern, Milde & White], 24
unexpected, manifesting during outpatient anesthesia (CR) [Braude, Press, Moyes, Isaacs, Danilewitz & Kolb], 647
- Hyperthyroidism, See under Hormones**
- Hypocarbica, See under Carbon dioxide**
- Hypokalemia, See under Ions, potassium**
- Hypotension, See under Anesthetic techniques; Blood pressure; Complications; Position**
- Hypothermia, See also under Carbon dioxide; Complications**
blood gases
in response to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
cardiopulmonary bypass, influence on neuromuscular transmission in absence of muscle relaxants (CR) [Buzello, Pollmaecher, Schluermann & Urbanyi], 279
- cerebral blood flow**
response of, to changes in carbon dioxide tension during hypothermic cardiopulmonary bypass (OA) [Prough, Stump, Roy, Gravlee, Williams, Mills, Hinshelwood & Howard], 576
- Hypoxia, See also under Complications**
and artificial ventilation of canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
and intraoperative air entrainment with Ohio® ModulusTM anesthesia machine (CR) [Lanier], 266
- pulmonary vascular response**
effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- shunt**
experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129
- Hypoxic pulmonary vasoconstriction, See under Lung(s)**
- I**
- Immune response**
following cardiopulmonary bypass associated with antigranulocyte antibody (CR) [Latson, Kickler & Baumgartner], 106
- Induced hypotension, See under Anesthetic techniques; Blood pressure**
- Induction**
anesthesia
with ketamine, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718
- Infarction, See under Brain**
- Infection, See also under Complications**
- AIDS**
anesthetic management of patients with (CO) [Arden], 660
as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536
- neutrophils**
inhibition by volatile anesthetics (EV) [Welch], 1
superoxide production and Ca²⁺ mobilization in, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
- Infiltration techniques, See under Anesthetic techniques**
- Insufflation, See under Anesthetic techniques**
- Intensive care**
midazolam infusion for sedation in (CR) [Shapiro, Westphal, White, Sladen & Rosenthal], 394
- Interactions**
cyclophosphamide
and halothane, failure to detect toxicity with (CR) [Lee, Erbguth & Stevens], 810
- Intercostal nerve block, See under Anesthetic techniques, regional**
- Intermittent positive pressure, See under Ventilation**
- Intracranial pressure, See under Brain; Monitoring**
- Intraocular pressure, See under Eye(s)**
- Intrathecal anesthesia, See under Anesthetic techniques**
- Intravenous anesthesia, See under Anesthetic techniques**
- Intubation, See also under Anesthetic techniques**
complications
as hazard for anesthesiologist, intubation technique causing (CO) [Hein & Freeman], 536
in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleyaert & Berkebile], 823
difficult, solving of (CO) [Carlson & Perkins], 537
- endotracheal**
atracurium or vecuronium for rapid sequence mode (CR) [Lennon, Olson & Gronert], 510
- complications**
esophageal perforation as (CR) [Johnson & Hood], 281
and improved technique for fiberoptic intubation (CO) [Green], 835
- difficult**
diabetic "stiff joint syndrome" and (CR) [Salzarulo & Taylor], 366
fiberoptic rhinoscope in (CO) [Eriksen], 128
with ketamine, heart rate and blood pressure effects of esmolol after (OA) [Gold, Brown, Coverman & Herrington], 718

- reintubations, difficult, simple technique for (CR) [Hudes, Fisher & Guslitz], 515
- technique**
blind (CO) [Shapiro & Unger], 297
diabetic "stiff joint syndrome" and (CR) [Salzarulo & Taylor], 366
improved, for fiberoptic intubation (CO) [Green], 835
in infants with midline facial defects (CR) [Jobes & Nicolson], 643
technique of laryngoscopy for difficult intubation (CO) [Gandhi & Durgos], 528
- fiberoptic-assisted**
foreign body aspiration during (CO) [], 303
- nasal**
fiberoptic rhinoscope in (CO) [Eriksen], 128
- technique**
combined
blind nasal, retrograde and fiberoptic-assisted, in difficult intubation (CO) [Carlson & Perkins], 537
in guided orotracheal intubation in operating room using lighted stylet (CR) [Ellis, Jakymec, Kaplan, Stewart, Freeman, Bleuyaert & Berkebile], 823
- Ions**
calcium blocker
in ischemic brain damage (OA) [Deshpande & Wieloch], 215
and combined effects of verapamil and isoflurane on coronary blood flow and myocardial metabolism (OA) [Campos & Kapur], 778
effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24
influx, receptor-mediated, halothane inhibition of (OA) [Yashima, Wada & Izumi], 466
local anesthetics and, effects of, on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447
mobilization in human neutrophils, inhibition by halothane, enflurane, and isoflurane (OA) [Nakagawara, Takeshige, Takamatsu, Takahashi, Yoshitake & Minakami], 4
mobilization of neutrophil cidal activity, inhibition by volatile anesthetics (EV) [Welch], 1
and muscle proteins in diagnosis of malignant hyperthermia susceptibility (OA) [Walsh, Brownell, Littmann & Paasuke], 473
- verapamil**
and anesthetics in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
and anesthetics in chronically instrumented dogs, cardiovascular effects of and interaction between (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568
- potassium**
effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24
- hypokalemia**
chronic, and intraoperative dysrhythmias (CO) [Glaser], 408
chronic, and intraoperative dysrhythmias (CO) [Vitez & Soper], 409
plasma, failure of succinylcholine to alter, in children with myelomeningocele (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
tolerance to, β -adrenoceptor blockade and (CO) [Torretti, Gerson, Oats & Lange], 846
- Ischemia, See under Brain; Heart**
Ischemic necrosis, See under Complications
Isoflurane, See under Anesthetics, volatile
- J**
Jugular vein, See under Veins
- K**
Ketamine, See under Anesthetics, intravenous
Ketamine isomers, See under Anesthetics, intravenous
- Kidney**
blood
in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568
- clearance**
creatinine
for early detection of posttraumatic renal dysfunction (OA) [Shin, Mackenzie & Helrich], 605
- free water**
for early detection of posttraumatic renal dysfunction (OA) [Shin, Mackenzie & Helrich], 605
- failure**
posttraumatic, creatinine clearance for early detection of (OA) [Shin, Mackenzie & Helrich], 605
- Kramer, M.,**
Invasive Procedures. A Year in the World of Two Surgeons (BR), 135
- L**
Lactate, See under Metabolism
- Larynx**
cricoid pressure
awake intubation, or both? (CO) [Kempen], 831
awake intubation, or both? (CO) [Salem, Joseph, Heyman & Paulissian], 832
local anesthetics administered topically: sterile or not? (CO) [Halevy], 535
- Laser, See under Surgery**
- Left atrial pressure, See under Monitoring**
- Left ventricular end-diastolic pressure, See under Blood pressure**
- Libraries, See under Anesthesia; Education**
- Lidocaine, See under Anesthetics, local; Toxicity**
- Lidocaine hydrocarbonate, See under Anesthetics, local**
- Lidocaine hydrochloride, See under Anesthetics, local**
- Lighted stylet, See under Anesthetic techniques**
- Liver**
amino acids
influence of nitrous oxide on (OA) [Viña, Davis & Hawkins], 490
- hepatotoxicity**
postoperative, after halothane or enflurane anesthesia in patients with hyperthyroidism (CR) [Seino, Dohi, Aiyoshi, Mizutani, Nakamura & Naito], 122
- Local anesthesia, See under Anesthetics**
- Lofentanil, See under Analgesics, narcotic**
- Lumbar anesthesia, See under Anesthetic techniques**
- Lung(s)**
blood flow
effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

bronchopleural fistula

- cutaneous, sudden intraoperative deterioration in ventilation due to (CR) [Briser, Barnette & Reardon], 802
- use of conventional ventilator in presence of (CO) [Baxter], 835

bronchus

- angles in, in infants and children (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374

compliance

- in hyperoxia in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowska], 614
- and use of conventional ventilator in presence of bronchopleural fistula (CO) [Baxter], 835

edema

- and artificial ventilation of canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
- in left heart failure in amniotic fluid embolism (CR) [Girard, Mal, Laine, Petitpretz, Rain & Duroux], 262
- oleic acid-induced, vasodilators worsen gas exchange in dog in (OA) [Bishop & Cheney], 435

fibrosis

- in hyperoxia in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowska], 614

hypoxic pulmonary vasoconstriction

- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435
- influence of isoflurane on, in dogs (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423

oxygen toxicity

- effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowska], 614
- increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

pulmonary edema

- furosemide may be detrimental in treatment of (CO) [Ebert, Grimes & Niemann], 299
- furosemide may be detrimental in treatment of (CO) [Lydon], 298

shunt

- experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129

shunting

- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

trachea

- angles in, in infants and children (CR) [Kubota, Toyoda, Nagata, Kubota, Sawada, Murakawa & Fujimori], 374
- local anesthetics administered topically: sterile or not? (CO) [Hallevy], 535

vascular resistance

- experimental, cardiac output effects of nitroglycerin in (CO) [Pearl & Rosenthal], 129
- in response to moderate changes in P_{aCO_2} after cardiopulmonary bypass (OA) [Salmenperä & Heinonen], 311

ventilation

- end-tidal CO_2 analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844

water

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

M**Machines, See under Equipment****Magnetometer, See under Magnetometer****Malignant hyperthermia, See under Hyperthermia****Mannheimer, J. S., and Lampe, G. N.**

- Clinical Transcutaneous Electrical Nerve Stimulation* (BR), 671

Mask induction, See under Anesthesia, pediatric; Anesthetic techniques**Masks, anesthesia, See under Equipment****Mass spectrometer, See under Equipment; Monitoring****Masseter muscle, See under Muscle, skeletal****Measurement techniques****autoradiography**

- in measurement of regional brain glucose utilization in rats during etomidate anesthesia (OA) [Davis, Mans, Biebuyck & Hawkins], 751

cardiac output

- and effect of ventilation on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293

echocardiography

- in assessment of hemodynamic and cardiovascular effects of isoflurane and halothane in children (OA) [Wolf, Neal & Peterson], 328

electromyography

- caution in making clinical recommendations based on (CO) [Kopman], 530
- caution in making clinical recommendations based on (CO) [Lee & Chen], 529
- in monitoring of neuromuscular function (CO) [Ali], 532
- in monitoring of neuromuscular function (CO) [Kopman], 532

magnetometer

- for assessment of load compensation during halothane anesthesia (OA) [Moote, Knill & Clement], 582

neuromuscular blockade

- electromyographic measurements and, caution in making clinical recommendations based on (CO) [Kopman], 530
- electromyographic measurements and, caution in making clinical recommendations based on (CO) [Lee & Chen], 529

pulse oximetry

- for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527

thermodilution

- and effect of ventilation on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293

Mechanical ventilation, See under Ventilation**Membrane****model**

- in study of membrane fluidizing effect of anesthetics (OA) [Ueda, Hirakawa, Arakawa & Kamaya], 67

Meningitis, See under Complications**Meperidine, See under Analgesics, intravenous****Metabolism, See also under Brain****carbon dioxide production**

- and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673

diabetes

- with renal failure, autonomic neuropathy in (CR) [Ciccarelli, Ford & Tsueda], 283

- fasting**
 - and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- fatty acids**
 - and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- glucose**
 - intraoperative, during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- hyperglycemia**
 - and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- lactate**
 - and intraoperative glucose during neurosurgery (OA) [Sieber, Smith, Kupferberg, Crosby, Uzzell, Buzby, March & Nann], 453
- oxygen consumption**
 - in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
 - and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- respiratory quotient**
 - and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- Metacurine, See under Neuromuscular relaxants**
- Methadone, See under Analgesics; Pharmacodynamics**
- Methemoglobinemia, See under Blood**
- Methionine synthase, See under Enzymes**
- Methionine synthetase, See under Enzymes**
- Metocurine, See under Neuromuscular relaxants**
- Midazolam, See under Anesthetics, intravenous**
- Military, anesthesia in, See under Anesthesia**
- Minoxidil, See under Pharmacology**
- Mitosis, See under Brain**
- Monitoring**
 - airway pressure**
 - detection of venous air embolism by (CR) [Sloan & Kimovec], 645
 - alarms**
 - anesthesia (CO) [Samuels], 128
 - that speak (CO) [Burke], 655
 - anesthesia and, for pediatric radiation therapy (CO) [Davies], 406
 - arterial venous pressure**
 - error in, due to pulmonary artery catheter proximal port dysfunction (CO) [Curley, Harte & Sheikh], 662
 - blood pressure**
 - and pulse oximetry for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527
 - and tidy adjunct to arterial cannulation (CO) [Sabo & Smith], 534
 - blood pressures**
 - for intraoperative radiation therapy (CR) [Bashein, Russell & Momii], 804
 - carbon dioxide**
 - for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
 - end-tidal CO₂ analyzers in proper positioning of double-lumen tubes (CO) [Shafieha, Sit, Kartha, Sabnis, Hajianpour, Pappas, Yu, Elam & Balagot], 844
 - transcutaneous, for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
 - central venous pressure**
 - in elective coronary bypass surgery (CO) [Liban & Davies], 664
 - methylene blue aids multiple-lumen catheter replacement for (CO) [Wong & Lupei], 842
 - echocardiography**
 - transesophageal**
 - for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
 - electrocardiography**
 - with advanced portable electrocardioscope (CO) [Diehl & Loeser], 301
 - intravascular, multiorificed catheter placement with (CO) [Johans], 411
 - in study of isoflurane and tolerance to pacing-induced myocardial ischemia (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147
 - electroencephalography**
 - in study of power spectrum changes during induction with enflurane (OA) [Levy], 688
 - electromyography**
 - caution in making clinical recommendations based on (CO) [Kopman], 530
 - caution in making clinical recommendations based on (CO) [Lee & Chen], 529
 - in monitoring of neuromuscular function (CO) [Ali], 532
 - in monitoring of neuromuscular function (CO) [Kopman], 532
 - end tidal carbon dioxide**
 - should it be standard of care in obstetric anesthesia? (CO) [Choi, Tremper & Garber], 829
 - fetal heart rate**
 - and maternal heart rate, during epidural epinephrine test dose (CO) [Chestnut & Wiener], 839
 - intracranial pressure**
 - isoflurane and (CO) [Finck], 833
 - isoflurane and (CO) [Grosslight & Bedford], 834
 - left atrial pressure**
 - in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
 - mass spectrometer**
 - better designs for, for use in awake patient (CO) [Norman, Zeig & Ahmad], 664
 - minimal standards**
 - in 1986 (CO) [Modell], 840
 - monitors**
 - computerized anesthesia records may be dangerous (CO) [Noel], 300
 - in myocardial ischemia with halothane administration in coronary stenosis (OA) [Buffington], 632
 - nerve stimulator**
 - and electromyographic measurements, caution in making clinical recommendations based on (CO) [Kopman], 530
 - and electromyographic measurements, caution in making clinical recommendations based on (CO) [Lee & Chen], 529
 - oxygen**
 - for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
 - pulse oximetry for assessment of collateral arterial flow (CO) [Nowak, Moorthy & McNiece], 527
 - transcutaneous, for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541
 - pulmonary artery catheter**
 - in study of isoflurane and tolerance to pacing-induced myocardial ischemia (OA) [Tarnow, Marksches-Hornung & Schulte-Sasse], 147

- pulmonary artery pressure**
elective coronary bypass surgery without (CO) [Liban & Davies], 664
error in, due to pulmonary artery catheter proximal port dysfunction (CO) [Curley, Harte & Sheikh], 662
in frozen pulmonary artery catheter (CO) [Zahl, Murray & Jobs], 662
- real-time ultrasonic guidance**
for percutaneous puncture of internal jugular vein (CO) [Yonei, Nonoue & Sari], 830
- right atrial pressure**
in positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
- transconjunctival O₂**
and cerebral blood flow during carotid artery occlusion (CR) [Gibson, McMichan & Cucchiara], 277
- transesophageal echocardiography**
in patient undergoing closed-chest massage (CR) [Clements, de Bruijn & Kisslo], 826
- ventilation**
for intraoperative radiation therapy (CR) [Bashein, Russell & ii], 804
- Monitoring equipment, See under Equipment**
Monitors, See under Monitoring; Equipment
Morphine, See under Analgesics, narcotic; Anesthetics, intravenous; Pharmacodynamics
Movement of patient, See under Complications
Multiorificed catheter, See under Equipment
- Muscle**
diseases
malignant hyperthermia, muscle proteins in (OA) [Walsh, Brownell, Littmann & Paasuke], 473
- electromyography**
in study of physiology of alfentanil-induced rigidity (OA) [Benthuisen, Smith, Sanford, Head & Dec-Silver], 440
- neuromuscular function**
monitoring of (CO) [Ali], 532
monitoring of (CO) [Kopman], 532
- rigidity**
alfentanil-induced, physiology of (OA) [Benthuisen, Smith, Sanford, Head & Dec-Silver], 440
- skeletal**
diaphragm
function of, effect of halothane on, in pentobarbital-anesthetized dogs (OA) [Clerque, Viïres, Lemesle, Aubier, Viars & Pariente], 181
malignant hyperthermia, muscle proteins in (OA) [Walsh, Brownell, Littmann & Paasuke], 473
- masseter**
malignant hyperthermia associated with, high incidence of, improper diagnostic test and (CO) [Ellis & Halsall], 291
spasm, and malignant hyperthermia are not the same thing (CO) [Schwartz, Rockoff & Koka], 292
spasm, and malignant hyperthermia are not the same thing (CO) [Van Der Spek, Spargo & Nahrwold], 291
- myelomeningocele**
failure of succinylcholine to alter plasma potassium in children with (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
- proteins**
low molecular weight, no abnormal, identified in human malignant hyperthermic muscle (LR) [Whistler, Isaacs & Badenhorst], 795

smooth
airway

prolonged hyporesponsiveness of, to histamine following general anesthesia (OA) [Amyot, Michoud, St-Jean, Chapleau & Couture], 758

Myasthenia gravis, See under Neuromuscular disease; Neuromuscular junction; Complications

Myelomeningocele, See under Muscle, skeletal

Myocardial contusion, See under Heart

Myocardial function, See under Heart

Myocardial ischemia, See under Complications; Heart

Myocardial metabolism, See under Heart

N

Nalmefene, See under Antagonist, narcotic

Naloxone, See under Antagonists, narcotic

Narcotics, See under Analgesics, narcotic

Nasal airway, See under Equipment

Nasal intubation, See under Intubation

Nasal resistance, See under Ventilation

Nasogastric tubes, See under Equipment

Nebulizers, See under Equipment

Neonatal heart, See under Heart

Neostigmine, See under Antagonists, neuromuscular relaxants

Nerve stimulator, See under Monitoring; Neuromuscular transmission

Nerve(s)

injury

in neurotoxicity of local anesthetics (OA) [Myers, Kalichman, Reisner & Powell], 29

neuromuscular function

monitoring of (CO) [Ali], 532

monitoring of (CO) [Kopman], 532

Neurogenesis, See under Brain

Neurologic surgery, See under Surgery

Neurolytic sympathetic block, See under Anesthetic techniques

Neuromuscular blockade, See under Measurement techniques

Neuromuscular disease

myasthenia gravis

vecuronium for muscle relaxation in patients with (CR) [Buzello, Noeldge, Krieg & Brobmann], 507

Neuromuscular function, See under Muscle; Nerve(s)

Neuromuscular junction

diaphragmatic dysfunction at, halothane-induced (OA) [Clerque, Viïres, Lemesle, Aubier, Viars & Pariente], 181

myasthenia gravis

intravenous dantrolene in patient with (CR) [Mora, Eisenkraft & Papatestas], 371

Neuromuscular relaxants

alcuronium

pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

atracurium

continuous infusion of, in children (OA) [Goudsouzian, Martyn, Rudd, Liu & Lineberry], 171

level of paralysis recovery for antagonism of, with edrophonium (CR) [Hennart, d'Hollander, Plasman & De Jonckheere], 384

neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711

pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

- for rapid sequence endotracheal intubation (CR) [Lennon, Olson & Gronert], 510
- single *versus* divided doses of (CR) [Weinberg, Stirt & Longnecker], 111
- dantrolene**
- intravenous, in patient with myasthenia gravis (CR) [Mora, Eisenkraft & Papatestas], 371
- for outpatient anesthesia, unexpected hyperthermia manifesting during (CR) [Braude, Press, Moyes, Isaacs, Danilewitz & Kolb], 647
- edrophonium**
- atracurium neuromuscular blockade with, level of paralysis recovery for antagonism of (CR) [Hennart, d'Hollander, Plasman & De Jonckheere], 384
- gallamine**
- pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- metacurine**
- and myocardial ischemia (CO) [Levy], 659
- and myocardial ischemia (CO) [Thomson & Putnins], 660
- metocurine**
- pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- pancuronium**
- and myocardial ischemia (CO) [Levy], 659
- and myocardial ischemia (CO) [Thomson & Putnins], 660
- neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711
- pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- and prophylactic nitroglycerin during coronary artery bypass surgery (OA) [Gallagher, Moore, Jose, Botros & Clark], 785
- succinylcholine**
- cerebral stimulation following, in dogs (OA) [Lanier, Milde & Michenfelder], 551
- failure of, to alter plasma potassium in children with myelomeningocele (CR) [Dierdorf, McNiece, Rao, Wolfe & Means], 272
- and open eye injury (CO) [Donlon], 525
- and open eye injury (CO) [Jantzen, Hackett & Earnshaw], 524
- and open eye injury (CO) [Libonati, Leahy & Ellison], 525
- in peripartum patients (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202
- tubocurarine**
- pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- vecuronium**
- for muscle relaxation in patients with myasthenia gravis (CR) [Buzello, Noeldge, Krieg & Brobmann], 507
- neostigmine and edrophonium antagonism of varying intensity neuromuscular blockade induced by (OA) [Rupp, McChristian, Miller, Taboada & Cronnelly], 711
- pharmacokinetics of, applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72
- priming dose of, pulmonary aspiration after (CR) [Musich & Walts], 517
- for rapid sequence endotracheal intubation (CR) [Lennon, Olson & Gronert], 510
- refining priming principle for, during rapid-sequence induction of anesthesia (OA) [Taboada, Rupp & Miller], 243
- sufentanil with, bradycardia and asystole following (CR) [Starr, Sethna & Estafanous], 521
- Neuromuscular transmission**
- influence of hypothermic cardiopulmonary bypass on, in absence of muscle relaxants (CR) [Buzello, Pollmaecher, Schluermann & Urbanyi], 279
- nerve stimulator**
- and electromyographic measurements, caution in making clinical recommendations based on (CO) [Kopman], 530
- and electromyographic measurements, caution in making clinical recommendations based on (CO) [Lee & Chen], 529
- Neuronal necrosis, See under Brain**
- Neurons, See under Spinal cord**
- Neurosurgical anesthesia, See under Anesthesia**
- Neurotransmitters**
- acetylcholine**
- inhibition of, in physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
- Neutrophils, See under Blood; Infection**
- Nicotinic receptors, See under Receptors**
- Nitrogen, See under Gases, nonanesthetic**
- Nitroglycerin, See under Heart; Pharmacology; Sympathetic nervous system, sympatholytic agents**
- Nitroprusside, See under Anesthetic techniques, hypotension, induced**
- Nitrous oxide, See under Anesthetics, gases**
- Nonanesthetic gases, See under Gases**
- O**
- Obstetric anesthesia, See under Anesthesia**
- Occlusion pressure response, See under Carbon dioxide**
- Ocular surgery, See under Surgery**
- One-lung ventilation, See under Ventilation**
- Ophthalmic anesthesia, See under Anesthesia**
- Ophthalmology, See under Surgery**
- Opiate anesthesia, See under Anesthetic techniques**
- Organizations**
- Society for Neurosurgical Anesthesia and Neurologic Supportive Care Annual Meeting, October 11, 1985 (SM), 539
- Orotracheal anesthesia, See under Anesthetic techniques**
- Outpatient anesthesia, See under Anesthesia**
- Outpatient surgery, See under Surgery**
- Oximeter, See under Equipment**
- Oxygen, See also under Metabolism**
- blood levels**
- effect of isoflurane and arterial oxygenation on, during one-lung ventilation (EV) [Benumof], 419
- and hypoxic pulmonary vasoconstriction in dogs, influence of isoflurane on (OA) [Domino, Borowec, Alexander, Williams, Chen, Marshall & Marshall], 423
- consumption**
- in endotracheal intubation in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
- and resting metabolic rate of critically ill patient: measured versus predicted (OA) [Weissman, Kemper, Askanazi, Hyman & Kinney], 673
- oxyhemoglobin dissociation**
- curve in humans, isoflurane and (CO) [Lanza & Mercadante], 413
- toxicity**
- effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614
- increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

transcutaneous

- for detection of air embolism in neurosurgical patients (OA) [Glenski & Cucchiara], 546
- for detection of venous air embolism (OA) [Glenski, Cucchiara & Michenfelder], 541

Oxygen consumption, See under Metabolism**Oxygen consumption, cerebral, See under Brain****Oxygen tension, See under Brain****Oxygen toxicity, See under Lung(s)****Oxyhemoglobin dissociation, See under Oxygen****P****Pain****experimental**

- prolonged opioid antagonism with nalmeferene during (OA) [Gal & DiFazio], 175

management

- epidural block for, facilitated by field block (CO) [Catchlove], 536

measurement

- prolonged opioid antagonism with nalmeferene during (OA) [Gal & DiFazio], 175

postoperative

- methadone and morphine compared in control of (OA) [Gourlay, Willis & Lamberty], 322
- morphine in, influence of naloxone on analgesia and respiratory depression following (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194

Pancuronium, See under Neuromuscular relaxants**Papillary muscle, See under Heart****Parasympathetic nervous system****atropine**

- blockade with, in study of effects of inhalation anesthetics on atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703

Pediatric anesthesia, See under Anesthesia**PEEP, See under Hemodynamics; Ventilation****Perforation, See under Airway****Perfusion scans, See under Heart****Peridural anesthesia, See under Anesthetic techniques****Pharmacodynamics, See also under Pharmacology****methadone**

- and morphine, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

morphine

- and methadone, compared in postoperative pain control (OA) [Gourlay, Willis & Lamberty], 322

succinylcholine

- in peripartum patients (OA) [Leighton, Cheek, Gross, Apfelbaum, Shantz, Gutsche & Rosenberg], 202

Pharmacokinetics**clonidine**

- rectal, in perioperative period (CR) [Johnston, Nicholas, Lawson, Wallfisch & Arens], 288
- dantrolene, and unexpected hyperthermia manifesting during outpatient anesthesia (CR) [Braude, Press, Moyes, Isaacs, Danilewitz & Kolb], 647

droperidol

- in anesthetized patients (OA) [Fischler, Bonnet, Trang, Jacob, Levron, Flaisler & Vourc'h], 486

fentanyl

- in patients undergoing abdominal aortic surgery (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

kinetics

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

sufentanil

- potency of (CO) [Goldberg & McKenna], 667
- potency of (CO) [Griffiths], 667
- potency of (CO) [Hilberman & Hyer], 665

Pharmacology**cimetidine**

- intravenous, in intensive care unit patients (CR) [Iberti, Paluch, Helmer, Murgolo & Benjamin], 87

clonidine

- and fentanyl requirements (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36

digoxin

- effect on cardiac and skeletal muscle metabolism in malignant hyperthermia susceptible swine (OA) [Gronert, Ahern, Milde & White], 24

dose-response

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

drug interactions

- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Chelly, Rogers, Hysing, Taylor, Hartley & Merin], 560
- in calcium blocking drugs and anesthetics in chronically instrumented dogs (OA) [Rogers, Hysing, Merin, Taylor, Hartley & Chelly], 568

esmolol

- heart rate and blood pressure effects of, after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herring-ton], 718

flunarizine

- ameliorates ischemic brain damage in rat (OA) [Deshpande & Wieloch], 215

furosemide

- may be detrimental in treatment of pulmonary edema (CO) [Ebert, Grimes & Niemann], 299
- may be detrimental in treatment of pulmonary edema (CO) [Lydon], 298

hydralazine

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

minoxidil

- and gas exchange in dog oleic-acid lung injury (OA) [Bishop & Cheney], 435

nitroglycerin

- cardiac output effects of, in experimental lung injury (CO) [Pearl & Rosenthal], 129
- intravenous, to prevent intraoperative myocardial ischemia during noncardiac surgery (CO) [Coriat], 409
- for use in preeclampsia (CO) [Sosis & Leighton], 657

pharmacodynamics

- of nondepolarizing neuromuscular relaxants applied to calculation of bolus and infusion dosage regimens (MI) [Shanks], 72

phenylephrine eyedrops

- and anesthesia (CR) [Van Der Spek & Hantler], 812

trimethaphan

- for use in preeclampsia (CO) [Sosis & Leighton], 657

vasoconstrictor

- and anesthesia (CR) [Van Der Spek & Hantler], 812

verapamil

- and isoflurane, combined effects of, on coronary blood flow and myocardial metabolism (OA) [Campos & Kapur], 778

Phenylephrine, See under Sympathetic nervous system

Phenylephrine eyedrops, *See under* Pharmacology
Physostigmine, *See under* Antagonists, neuromuscular relaxants
Pichlmayr, I., Lips, U., and Kunkel, H.
 The Electroencephalogram in Anesthesia (BR), 304
Pneumothorax, *See under* Complications
Podiatry, *See under* Surgery
Polymorphous ventricular tachycardia, *See under* Heart
Position
 effects
 cardiovascular
 in young boy (CR) [Schroeder & Jebson], 377
 hypotension
 supine, syndrome of, in young boy (CR) [Schroeder & Jebson], 377
 prone
 head and chin cushioned face-rest for surgery in (CO) [Ray], 301
 sitting
 and hemodynamic effects of positive end-expiratory pressure during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
 for monitoring of neurosurgical patients for detection of air embolism (OA) [Glenski & Cucchiara], 546
 subclavian vein catheter as source of air emboli in (CO) [Kloosterboer, Springman & Coursin], 411
Positive end-expiratory pressure, *See under* Ventilation
Postoperative pain, *See under* Pain
Potassium, *See under* Ions
Potency
 single versus divided doses of atracurium (CR) [Weinberg, Stirt & Longnecker], 111
Preeclampsia, *See under* Complications; Pregnancy
Pregnancy, *See also under* Anesthesia
 preeclampsia
 defense of trimethaphan for use in (CO) [Sosis & Leighton], 657
 teratogenicity
 studies of, of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339
Preload, *See under* Heart
Prematurity, *See under* Age factors
Premedication
 clonidine
 and fentanyl requirements (OA) [Ghignone, Quintin, Duke, Kehler & Calvillo], 36
Priming principle, *See under* Anesthetic techniques
Prone position, *See under* Position
Propranolol, *See under* Sympathetic nervous system
Protection, cerebral, *See under* Brain
Protein, *See also under* Muscle
 muscle, electrophoresis of, is not method for diagnosis of malignant hyperthermia susceptibility (OA) [Walsh, Brownell, Littmann & Paasuke], 473
Prys-Roberts, C., and Hug, C. C., Jr. (eds.)
 Pharmacokinetics of Anaesthesia (BR), 671
Pulmonary artery catheter, *See under* Complications; Equipment; Monitoring
Pulmonary artery perforation, *See under* Complications
Pulmonary artery pressure, *See under* Monitoring
Pulmonary artery wedge pressure, *See under* Blood pressure
Pulmonary capillary wedge pressure, *See under* Blood pressure
Pulmonary edema, *See under* Complications; Lung(s)
Pulmonary vascular response, *See under* Hypoxia
Pulse oximeter, *See under* Equipment
Pulse oximetry, *See under* Measurement techniques

Pulse rate, *See under* Heart
Puncture, *See under* Anesthetic techniques

R
Radiation therapy, *See under* Anesthesia
Rapid sequence anesthesia, *See under* Anesthetic techniques
Rate response, *See under* Heart
Raynaud's phenomenon, *See under* Sympathetic nervous system
Real-time, ultrasonic guidance, *See under* Equipment; Monitoring
Receptors

 acetylcholine
 from *Torpedo californica*, actions of general anesthetics on (OA) [Firestone, Sauter, Braswell & Miller], 694
 adrenergic
 isoflurane, interaction in isolated rat parotid gland (OA) [Östman, Henriksson, Sundström & Reiz], 734
 benzodiazepinase
 and physostigmine antagonism of flunitrazepam (OA) [Vatashsky, Beilin, Razin & Weinstock], 248
 nicotinic
 halothane inhibits, in primary culture of bovine adrenal medulla cells (OA) [Yashima, Wada & Izumi], 466

Records
 anesthesia
 computerized, may be dangerous (CO) [Noel], 300
Recovery
 adverse respiratory events occurring in recovery room after general anesthesia (CR) [Beard, Jick & Walker], 269

Reflexes
 baroreceptor
 influence of venous return on, during lumbar epidural anesthesia (OA) [Baron, Decaux-Jacolot, Edouard, Berdeaux & Samii], 188
 baroreflex
 effects of lidocaine on, in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316

Regional anesthesia, *See under* Anesthetic techniques
Renal clearance, *See under* Kidney
Renal failure, *See under* Kidney
Renin-angiotensin, *See under* Hormones
Reports of scientific meetings, *See under* Organizations
Research
 animal rights
 and biomedical research (EV) [Shapiro], 142
Resistance, *See under* Airway; Ventilation
Respiratory acidosis, *See under* Acid-base equilibrium
Respiratory alkalosis, *See under* Acid-base equilibrium
Respiratory depression, *See under* Analgesics, narcotic; Brain; Ventilation
Respiratory quotient, *See under* Metabolism
Rhinoscope, *See under* Equipment
Right atrial pressure, *See under* Monitoring
Rigidity, *See under* Muscle

S

Scavengers, *See under* Equipment
Seizures, *See under* Brain
Shunt, *See under* Hypoxia; Lung(s)
Shunting, *See under* Lung(s)
Silverman, W. A.
 Human Experimentation, (BR), 848
Sitting position, *See under* Position
Skeletal muscle, *See under* Muscle

Smooth muscle, *See under* Muscle

Society for Neurosurgical Anesthesia and Neurologic Supportive
Care, *See under* Organizations

Sore throat, *See under* Complications

Spinal anesthesia, *See under* Anesthetic techniques

Spinal cord

neurons

WDR

spinal sufentanil effects on (OA) [Aoki, Senami, Kitahata &
Collins], 225

pain coding (OA) [Yaksh, Harty & Onofrio], 590

Spinal narcotics, *See under* Anesthetic techniques

Stellate block, *See under* Anesthetic techniques

Stroke, *See under* Brain; Complications

Succinylcholine, *See under* Neuromuscular relaxants; Pharmacodynamics

Suctioning, *See under* Airway

Sufentanil, *See under* Analgesics, narcotic; Anesthetics, intravenous;
Pharmacokinetics

Surgery

aorta

pharmacokinetics of fentanyl in patients undergoing (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

bronchoscopy

laser perforation following (CR) [Emery], 120

cardiac

elective, without pulmonary artery catheter monitoring (CO) [Liban & Davies], 664

heparin resistance prior to (CR) [Anderson], 504

in myocardial ischemia with halothane administration in coronary
stenosis (OA) [Buffington], 632

neuropsychiatric complications after, cerebral protection by barbiturate (OA) [Nussmeier, Arlund & Slogoff], 165

pancuronium in, and myocardial ischemia (CO) [Levy], 659

pancuronium in, and myocardial ischemia (CO) [Thomson & Putnins], 660

polymorphous ventricular tachycardia during (CR) [Weiskopf & Stead], 392

pulmonary artery catheter migration during (CR) [Johnston, Royster, Choplin, Howard, Mills & Tucker], 258

pulmonary hypertension and noncardiogenic pulmonary edema
following (CR) [Latson, Kickler & Baumgartner], 106

cardiovascular

hypothermic, response of cerebral blood flow to changes in carbon
dioxide tension during (OA) [Prough, Stump, Roy, Gravlee,
Williams, Mills, Hinshelwood & Howard], 576

poor correlation between pulmonary arterial wedge pressure and
left ventricular end-diastolic volume after (OA) [Hansen,
Viquerat, Matthey, Wiener-Kronish, DeMarco, Bahtia,
Marks, Botvinick & Chatterjee], 764

prophylactic nitroglycerin infusions during (OA) [Gallagher,
Moore, Jose, Botros & Clark], 785

carotid endarterectomy

transconjunctival O₂ and cerebral blood flow during (CR) [Gibson,
McMichan & Cucchiara], 277

eye

and succinylcholine and open eye injury (CO) [Donlon], 525

and succinylcholine and open eye injury (CO) [Jantzen, Hackett
& Earnshaw], 524

and succinylcholine and open eye injury (CO) [Libonati, Leahy
& Ellison], 525

laser

perforation of main stem bronchus (CR) [Emery], 120

neurologic

intraoperative glucose during (OA) [Sieber, Smith, Kupferberg,
Crosby, Uzzell, Buzby, March & Nann], 453

ophthalmology

patient movement during anesthesia in, unusual cause of (CR)
[Adragna], 89

outpatient

comparison of alfentanil with fentanyl for (CR) [White, Coe,
Shafer & Sung], 99

podiatry

intravenous regional anesthesia for (CR) [Nusbaum & Hamelberg],
91

position for

head and chin cushioned face-rest for (CO) [Ray], 301

thoracic

high-frequency, small-volume ventilation during (OA) [Glenski,
Crawford & Rehder], 211

vascular

pharmacokinetics of fentanyl in patients undergoing (OA) [Hudson, Thomson, Cannon, Friesen & Meatherall], 334

Surgical anesthesia, *See under* Anesthesia

Sympathetic block, *See under* Anesthetic techniques

Sympathetic nervous system

adrenal medulla

halothane inhibition of receptor-mediated calcium influx in primary
culture of cells of (OA) [Yashima, Wada & Izumi], 466

adrenergic receptors

isoflurane, interaction in isolated rat parotid gland (OA) [Östman,
Henriksson, Sundström & Reiz], 734

alpha-adrenergic agonist

clonidine

premedication and fentanyl requirements (OA) [Ghignone,
Quintin, Duke, Kehler & Calvillo], 36

beta-adrenergic blocker

heart rate and blood pressure effects of, after ketamine induction
and intubation (OA) [Gold, Brown, Coverman & Herrington], 718

beta-adrenergic receptors

blockade, and tolerance to potassium (CO) [Torretti, Gerson, Oats
& Lange], 846

catecholamines

and β -adrenoceptor blockade and tolerance to potassium (CO)
[Torretti, Gerson, Oats & Lange], 846

and halothane inhibition of receptor-mediated calcium influx (OA)
[Yashima, Wada & Izumi], 466

maternal and fetal effects of, in gravid ewes (OA) [Hood, Dewan
& James], 610

test dose of, epidural injection of, monitoring maternal heart rate
during (CO) [Chestnut & Wiener], 839

uptake

neuronal and extraneuronal, differential effects of ketamine
isomers on (LR) [Lundy, Lockwood, Thompson & Frew],
359

clonidine

rectal, in perioperative period (CR) [Johnston, Nicholas, Lawson,
Wallfisch & Arens], 288

effects of meperidine spinal anesthesia on (CR) [Cozian, Pinaud,
Lepage, Lhoste & Souron], 815

epinephrine

maternal and fetal effects of, in gravid ewes (OA) [Hood, Dewan
& James], 610

test dose of, epidural injection of, monitoring maternal heart rate
during (CO) [Chestnut & Wiener], 839

esmolol

heart rate and blood pressure effects of, after ketamine induction and intubation (OA) [Gold, Brown, Coverman & Herring-ton], 718

Horner syndrome

incidence of, with interscalene brachial plexus block and management of head injury (CO) [Al-Khafaji & Elias], 127

phenylephrine

in comparative study, of dilation of nasal passage (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
and plasma levels of lidocaine, effects of, on heart in conscious dogs (OA) [Edouard, Berdeaux, Langlois, Samii, Giudicelli & Noviant], 316

propofol

blockade with, in study of effects of inhalation anesthetics on atrioventricular conduction times in dogs (OA) [Atlee, Brownlee & Burstrom], 703

Raynaud's phenomenon

neurolytic lumbar sympathetic block in treatment of (CR) [Skeehan & Cory], 119

sympatholytic agents

nitroglycerin
improves venous cannulation (CO) [Moore], 533

T

Tamponade, See under Heart

Temperature

body

passive heat and moisture exchangers, do they keep the patient warm? (CR) [Haslam & Nielsen], 379

heating

and simple method for warming intravenous fluid in infants (CO) [Rosen, Rosen & Broadman], 133

Teratogenicity, See under Pregnancy; Toxicity

Teratology, See under Anesthesia; Toxicity

Tetracaine, See under Anesthetics, local

Theories of anesthesia

and actions of general anesthetics on acetylcholine receptor-rich membranes from *Torpedo californica* (OA) [Firestone, Sauter, Braswell & Miller], 694

dual effect of local anesthetics on rhodopsin (OA) [Mashimo, Abe & Yoshiya], 447

and membrane fluidizing effect of anesthetics (OA) [Ueda, Hirakawa, Arakawa & Kamaya], 67

Thermodilution, See under Measurement techniques

Thermodilution determination, See under Heart

Thiamylal, See under Anesthetics, intravenous

Thiopental, See under Anesthetics, intravenous

Thoracic anesthesia, See under Anesthesia

Thoracic surgery, See under Surgery

Thyroid, See under Hormones

Tolerance to analgesics, See under Analgesics

Tongue, See under Airway

Toxicity

anesthetics

cell proliferation in developing brain after brief anesthetic exposure (OA) [Rodier, Aschner, Lewis & Koeter], 680

bleomycin

intravenous, does not alter toxic effects of hyperoxia in rabbits (OA) [Matalon, Harper, Nickerson & Olszowka], 614

carcinogenicity

and carcinogen bioassay of nitrous oxide in mice (OA) [Baden, Kundomal, Luttrupp, Mazze & Kosek], 747

fetal

of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339

free radicals

increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

lidocaine

depresses synaptic activity in rat hippocampal slice (LR) [Schurr, Spears, Reid, West, Edmonds & Rigor], 501

seizures induced by, local cerebral blood flow during (OA) [Tommasino, Maekawa & Shapiro], 771

local anesthetics

altered perineurial permeability, edema, and nerve fiber injury (OA) [Myers, Kalichman, Reisner & Powell], 29

for obstetrics, efficacy of 1.5% lidocaine with 7.5% dextrose and epinephrine as test dose (CR) [Abraham, Harris, Maxwell & Kaplow], 116

oxygen

effects of, in rabbits, intravenous bleomycin does not alter (OA) [Matalon, Harper, Nickerson & Olszowka], 614

increased N-pentane excretion in humans as consequence of (OA) [Morita, Snider & Inada], 730

teratogenicity

after brief exposure to nitrous oxide or halothane (OA) [Rodier, Aschner, Lewis & Koeter], 673

cell proliferation in developing brain after brief anesthetic exposure (OA) [Rodier, Aschner, Lewis & Koeter], 590

studies of, of nitrous oxide, halothane, isoflurane, and enflurane in Sprague-Dawley rats (OA) [Mazze, Fujinaga, Rice, Harris & Baden], 339

Trachea, See under Lung(s)

Transconjunctival O₂ monitoring, See under Monitoring

Transcutaneous carbon dioxide, See under Carbon dioxide

Transcutaneous oxygen, See under Oxygen

Transesophageal echocardiography, See under Monitoring

Tricuspid regurgitation, See under Heart

Trimethaphan, See under Pharmacology

Tubes, See under Equipment

Tubocurarine, See under Neuromuscular relaxants

T-wave abnormalities, See under Heart

U

Unconsciousness, See under Brain

Uterus

blood flow

and maternal and fetal effects of epinephrine in gravid ewes (OA) [Hood, Dewan & James], 610

V

Vaporizers, See under Equipment

Vascular pressures, See under Heart

Vascular resistance, See under Lung(s)

Vascular surgery, See under Surgery

Vasoconstrictors, See under Pharmacology

Vasopressin, See under Hormones

Vecuronium, See under Neuromuscular relaxants

Veins

cannulation

nitroglycerin improves (CO) [Moore], 533

- fistula**
unexpected, in arm of intravenous drug abuser (CO) [Greene], 842
- jugular**
complications
in external cannulation (CO) [Hey, Mahood & Pietak], 836
external cannulation of, complications in (CO) [Hey, Mahood & Pietak], 836
internal, real-time ultrasonic guidance for percutaneous puncture of (CO) [Yonei, Nonoue & Sari], 830
venipuncture, nitroglycerin improves (CO) [Moore], 533
venous return
influence of, on baroreflexes during epidural anesthesia (OA) [Baron, Decaux-Jacot, Edouard, Berdeaux & Samii], 188
Venipuncture, *See under Veins*
Venous entrapment, *See under Complications*
Venous return, *See under Veins*
Ventilation
airway occlusion pressure
in prolonged opioid antagonism with nalmeferene (OA) [Gal & DiFazio], 175
carbon dioxide response
in prolonged opioid antagonism with nalmeferene (OA) [Gal & DiFazio], 175
depression
influence of naloxone on, following epidural morphine (OA) [Rawal, Schött, Dahlström, Inturrisi, Tandon, Sjöstrand & Wennhager], 194
drug effects
in response to diazepam (OA) [Bailey, Andriano, Goldman, Stanley & Pace], 460
effect of, on baseline pulmonary artery temperature (CO) [Gravlee & Johnston], 293
end-expiratory pressure
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
frequency
in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
gas exchange
in relation to alfentanil concentration in unanesthetized dogs (OA) [Arndt, Bednarski & Parasher], 345
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
high frequency oscillatory
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
high-frequency
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
intermittent positive pressure
in canine model of bronchopleural fistula (OA) [Mayers, Long, Breen & Wood], 739
mechanical
during thoracic surgery (OA) [Glenski, Crawford & Rehder], 211
monitoring
See under Monitoring
nasal resistance
comparison of 4% lidocaine/0.5% phenylephrine with 5% cocaine and (CR) [Sessler, Vitaliti, Cooper, Jones, Powell & Pesko], 274
pattern
for continuous inspiratory resistive and elastic loads during halothane anesthesia (OA) [Moote, Knill & Clement], 582
pattern of breathing
and effect of halothane on diaphragmatic function (OA) [Clerque, Viïres, Lemesle, Aubier, Viars & Pariente], 181
PEEP
hemodynamic effects of, during continuous venous air embolism in dog (OA) [Pearl & Larson], 724
positive end-expiratory pressure
hemodynamics effects of (CO) [Berry], 130
hemodynamics effects of (CO) [Venus, Mathru & Smith], 131
resistance
continuous, and elastic loads during halothane anesthesia (OA) [Moote, Knill & Clement], 582
tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
work
tubular, response to, in normal subjects and postoperative patients (OA) [Weissman, Askanazi, Rosenbaum, Damask, Hyman & Kinney], 353
Ventilators, *See under Equipment*
Ventilatory response, *See under Carbon dioxide*
Ventricular function, *See under Heart*
Verapamil, *See under Ions, calcium blocker; Pharmacology*
Volatile anesthetics, *See under Anesthetics*
Volume, cardiac, *See under Heart*
- W**
- Water, pulmonary**, *See under Lung(s)*
WDR neurons, *See under Spinal cord*
- Z**
- Zapol, W. M., and Falke, K. J.**,
Acute Respiratory Failure (BR), 136

AUTHOR INDEX TO VOLUME 64

A

- Abe, K., *see* Mashimo, T.
 Abraham, R. A., Harris, A. P., Maxwell, L. G., Kaplow, S.: The Efficacy of 1.5% Lidocaine with 7.5% Dextrose and Epinephrine as an Epidural Test Dose for Obstetrics, 116
 Adragna, M. G.: An Unusual Cause of Patient Movement during Anesthesia, 89
 Ahern, C. P., *see* Gronert, G. A.
 Ahmad, I., *see* Norman, E. A.
 Aiyoshi, Y., *see* Seino, H.
 Aldrete, J. A.: Reply to: Cost of Different Narcotics, 843
 Aldrete, J. A., Hendricks, P. L.: Differences in Costs: How Much Can We Save?, 656
 Alexander, C. M., *see* Domino, K. B.
 Ali, H. H.: Monitoring Neuromuscular Function, 532
 Al-Khafaji, J. M., Elias, M. A. Y.: Incidence of Horner Syndrome with Interscalene Brachial Plexus Block and Its Importance in the Management of Head Injury, 127
 Amyot, R., Michoud, M.-C., St.-Jean, S., Champleau, D., Couture, J.: Prolonged Hyporesponsiveness of Airway Smooth Muscle to Histamine Following General Anesthesia, 758
 Anderson, E. F.: Heparin Resistance prior to Cardiopulmonary Bypass, 504
 Andriano, K. P., *see* Bailey, P. L.
 Andriole, G. L., *see* Garfield, J. M.
 Aoki, M., Senami, M., Kitahata, L. M., Collins, J. G.: Spinal Sufentanil Effects on Spinal Pain-transmission Neurons in Cats, 225
 Apfelbaum, J. L., *see* Leighton, B. L.
 Arakawa, K., *see* Ueda, I.
 Arden, J.: Anesthetic Management of Patients with AIDS, 660
 Arens, J. F., *see* Johnston, R. V.
 Arlund, C., *see* Nussmeier, N. A.
 Arndt, J. O., Bednarski, B., Parasher, C.: Alfentanil's Analgesic, Respiratory, and Cardiovascular Actions in Relation to Dose and Plasma Concentration in Unanesthetized Dogs, 345
 Aschner, M., *see* Rodier, P. M.
 Ashon, J. P. A., *see* Pearl, R. G.
 Askanazi, J., *see* Weissman, C.
 Atlee, J. L., III, Brownlee, S. W., Burstrom, R. E.: Conscious-state Comparisons of the Effects of Inhalation Anesthetics on Specialized Atrioventricular Conduction Times in Dogs, 703
 Aubier, M., *see* Clergue, F.

B

- Baden, J. M., Kundomal, Y. R., Luttrupp, M. E., Mazze, R. I., Kosek, J. C.: Carcinogen Bioassay of Nitrous Oxide in Mice, 747; *also see* Mazze, R. I.

- Badenhorst, M., *see* Whistler, T.
 Bahtia, S., *see* Hansen, R. M.
 Bailey, P. L., Andriano, K. P., Goldman, M., Stanley, T. H., Pace, N. L.: Variability of the Respiratory Response to Diazepam, 460
 Bakhos, M., *see* Kleinman, B.
 Balagot, R. C., *see* Shafieha, M. J.
 Balestrieri, F. J., *see* Grice, S. C.
 Barnette, R. E., *see* Brister, N. W.
 Baron, J.-F., Decaux-Jacotot, A., Edouard, A., Berdeaux, A., Samii, Kamran: Influence of Venous Return on Baroreflex Control of Heart Rate during Lumbar Epidural Anesthesia in Humans, 188
 Bashein, G., Russell, A. H., Momii, S. T.: Anesthesia and Remote Monitoring for Intraoperative Radiation Therapy, 804
 Bauman, J. M., *see* Middaugh, R. E.
 Baumgartner, W. A., *see* Latson, W.
 Baxter, A.: Using a Conventional Ventilator in the Presence of a Bronchopleural Fistula, 835
 Baysinger, C. L., *see* Schmidt, S. I.
 Beard, K., Jick, H., Walker, A. M.: Adverse Respiratory Events Occurring in the Recovery Room after General Anesthesia, 269
 Bedford, R. F., *see* Grosslight, K.
 Bednarski, B., *see* Arndt, J. O.
 Beilin, B., *see* Vatahsky, E.
 Benjamin, E., *see* Iberti, T. J.
 Benthuysen, J. L., Smith, N. T., Sanford, T. J., Head, N., Dec-Silver, H.: Physiology of Alfentanil-induced Rigidity, 440
 Benumof, J. L.: Isoflurane Anesthesia and Arterial Oxygenation during One-lung Ventilation, 419
 Berdeaux, A., *see* Baron, J.-F.; *also see* Edouard, A.
 Berkebile, P. E., *see* Ellis, D. G.
 Berthelsen, P., Jacobsen, E.: Reply to: Difficult Pediatric Intubation, 668
 Bery, A. J.: The Hemodynamic Effects of Positive End-expiratory Pressure, 130
 Biebuyck, J. F., *see* Davis, D. W.
 Bishop, M. J., Cheney, F. W.: Vasodilators Worsen Gas Exchange in Dog Oleic-acid Lung Injury, 435
 Blanchet, F., *see* Marty, J.
 Bleyaert, A., *see* Ellis, D. G.
 Bonnet, F., *see* Fischer, M.
 Borowec, L., *see* Domino, K. B.
 Botros, S. B., *see* Gallagher, J. D.
 Botvinick, E. H., *see* Hansen, R. M.
 Boyer, M. S., *see* Rao, C. C.
 Braswell, L. M., *see* Firestone, L. L.
 Braude, B. M., Press, P., Moyes, D. G., Isaacs, H., Danilewitz, M. D., Kolb, M. E.: Unexpected Hyperthermia Manifesting during Outpatient Anesthesia, 647
 Breen, P. H., *see* Mayers, I.
 Breslow, M. J., Miller, C. F., Parker, S. D., Walman, A. T., Rogers, M. C.: Changes in T-wave Morphology Following Anesthesia and Surgery: A Common Recovery-room Phenomenon, 398
 Brett, C. M., Wara, W. M., Hamilton, W. K.: Anesthesia for Infants during Radiotherapy: An Insufflation Technique, 402
 Brighouse, D.: A Simple Inexpensive Method to Prevent Heel Sores, 536
 Brister, N. W., Barnette, R. E., Reardon, M. R. W.: Sudden Intraoperative Deterioration in Ventilation due to Cutaneous Bronchopleural Fistula, 802
 Broadman, L., *see* Rosen, K. R.
 Brobmann, G. F., *see* Buzello, W.
 Brodsky, J. B., Shulman, M. S., Mark, J. B. D.: Airway Rupture with a Disposable Double-lumen Tube, 415
 Bromage, P. R., Nickel, P. M.: Comparison of Lidocaine Hydrocarbonate and Lidocaine Hydrochloride for Epidural Blockade, 126
 Brown, B. W., Jr., *see* Pearl, R. G.
 Brown, M., *see* Gold, M. I.
 Brownell, A. K. W., *see* Walsh, M. P.
 Brownlee, S. W., *see* Atlee, J. L., III
 Buffington, C. W.: Impaired Systolic Thickening Associated with Halothane in the Presence of a Coronary Stenosis Is Mediated by Changes in Hemodynamics, 632
 Burgos, L., *see* Gandhi, S. K.
 Burke, C. B.: Alarms that Speak, 655
 Burstrom, R. E., *see* Atlee, J. L., III
 Buzby, G., *see* Sieber, F.
 Buzello, W., Noeldge, G., Krieg, N., Brobmann, G. F.: Vecuronium for Muscle Relaxation in Patients with Myasthenia Gravis, 507
 Buzello, W., Pollmaecher, T., Schluermann, D., Urbanyi, B.: The Influence of Hypothermic Cardiopulmonary Bypass on Neuromuscular Transmission in the Absence of Muscle Relaxants, 279

C

- Calvillo, O., *see* Ghignone, M.
 Campos, J. H., Kapur, P. A.: Combined Effects of Verapamil and Isoflurane on Coronary Blood Flow and Myocardial Metabolism in the Dog, 778
 Cannon, J. E., *see* Hudson, R. J.
 Carlson, G. C., Howland, W. S.: High-Frequency Ventilation in Intensive Care and During Surgery, 848
 Carlson, C. A., Perkins, H. M., Veltkamp, S.: Solving a Difficult Intubation, 537
 Casthely, P. A., *see* Fyman, P. N.
 Catchlove, R. F. H.: Epidural Block for Chronic Pain Management Facilitated by Field Block, 536

- Chapleau, D., *see* Amyot, R.
 Chatterjee, K., *see* Hansen, R. M.
 Cheek, T. G., *see* Leighton, B. L.
 Chelly, J. E., Rogers, K., Hysing, E. S., Taylor, A., Hartley, C., Merin, R. G.: Cardiovascular Effects of and Interaction between Calcium Blocking Drugs and Anesthetics in Chronically Instrumented Dogs. I. Verapamil and Halothane, 560
 Chelly, J. E., *see* Rogers, K.
 Chen, J., *see* Kataria, B. K.; *also see* Lee, V.
 Chen, L., *see* Domino, K. B.
 Cheney, F. W., *see* Bishop, M. J.
 Chestnut, D. H., Wiener, C. P.: Monitoring Maternal Heart Rate during Epidural Injection of a Test Dose Containing Epinephrine, 839
 Choi, H. J., Tremper, K. K., Garber, S. Z.: End-tidal P_{CO_2} : Should It Be a Standard of Care in Obstetric Anesthesia?, 829
 Choplin, R. H., *see* Johnston, W. E.
 Ciccarelli, L. L., Ford, C. M., Tsueda, K.: Autonomic Neuropathy in a Diabetic Patient with Renal Failure, 283
 Clark, D. L., *see* Gallagher, J. D.
 Clement, J., *see* Moot, C. A.
 Clements, F. M., de Bruijn, N. P., Kisslo, J. A.: Transesophageal Echocardiographic Observations in a Patient Undergoing Closed-chest Massage, 826
 Clergue, F., Viures, N., Lemesle, P., Aubier, M., Viars, P., Pariente, R.: Effect of Halothane on Diaphragmatic Muscle Function in Pentobarbital-anesthetized Dogs, 181
 Coe, V., *see* White, P. F.
 Cohen, M. M., *see* Duncan, P. G.
 Cole, C. P., McMorland, G. H.: Reply to: Comparison of Lidocaine Hydrocarbonate and Lidocaine Hydrochloride for Epidural Blockade, 126
 Collins, J. G., *see* Aoki, M.
 Comroe, J.: Exploring the Heart: Discoveries in Heart Disease and High Blood Pressure, 304
 Cooper, K. R., *see* Sessler, C. N.
 Coriat, P.: Intravenous Nitroglycerin Dosage to Prevent Intraoperative Myocardial Ischemia during Noncardiac Surgery, 409
 Cory, P. C., Jr., *see* Skeehan, T. M.
 Coursin, D. B., *see* Kloosterboer, T. B.
 Couture, J., *see* Amyot, R.
 Coverman, S., *see* Gold, M. I.
 Cozian, A., Pinaud, M., Lepage, J. Y., Lhoste, F., Souron, R.: Effects of Meperidine Spinal Anesthesia on Hemodynamics, Plasma Catecholamines, Angiotensin I, Aldosterone, and Histamine Concentrations in Elderly Men, 815
 Crawford, J. S.: Obstetric Analgesia and Anesthesia, 304
 Crawford, M., *see* Glenski, J. A.
 Crider, B., Nightingale, P., Hill, A. B.: Intraoperative Hyperpyrexia—Keep an Open Mind, 413
 Cronnelly, R., *see* Rupp, S. M.
 Crosby, L., *see* Sieber, F.
 Cucchiara, R. F., *see* Gibson, B. E.; *also see* Glenski, J. A.
 Curley, J., Harte, F., Sheikh, F.: Erroneous Cardiac Output Determination Due to Pulmonary Artery Catheter Proximal Port Dysfunction, 662
- D**
- Dahlström, B., *see* Rawal, N.
 Damask, M. C., *see* Weissman, C.
 Daniell, M.: Reply to: Another Potential Source of a Major Gas Leak, 298
 Danilewitz, M. D., *see* Braude, B. M.
 Davies, D. J.: Anesthesia and Monitoring for Pediatric Radiation Therapy, 406
 Davies, D. M., *see* Liban, B. J.
 Davis, D. W., Mans, A. M., Biebuyck, J. F., Hawkins, R. A.: Regional Brain Glucose Utilization in Rats during Etomidate Anesthesia, 751; *also see* Viña, J. R.
 de Bruijn, N. P., *see* Clements, F. M.
 Decaux-Jacot, A., *see* Baron, J.-F.
 Dec-Silver, H., *see* Benthuyens, J. L.
 de Jonckheere, M., *see* Hennart, D.
 DeMarco, T., *see* Hansen, R. M.
 Deshpande, J. K., Wieloch, T.: Flunarizine, a Calcium Entry Blocker, Ameliorates Ischemic Brain Damage in the Rat, 215; *also see* Warner, D. S.
 Desmonts, J. M., *see* Marty, J.
 Desmonts, J.-M., *see* Servin, F. F.
 Dewan, D. M., *see* Hood, D. D.
 d'Hollander, A., *see* Hennart, D.
 Diamond, M. J.: Delivering Bronchodilators into the Anesthesia Circuit, 531
 Diehl, P. J., Loeser, E. A.: ECG Monitoring with an Advanced, Truly Portable Electrocardioscope, 301
 Dierdorf, S. F., McNiece, W. L., Rao, C. C., Wolfe, T. M., Means, L. J.: Failure of Succinylcholine to Alter Plasma Potassium in Children with Myelomeningocele, 272
 DiFazio, C. A., *see* Gal, T. J.
 Dohi, S., *see* Seino, H.
 Domino, K. B., Borowec, L., Alexander, C. M., Williams, J. J., Chen, L., Marshall, C., Marshall, B. E.: Influence of Isoflurane on Hypoxic Pulmonary Vasoconstriction in Dogs, 423
 Donlon, J. V., Jr.: Succinylcholine and Open Eye Injury, II, 525
 Dorsch, J. S., Dorsch, S. E.: Understanding Anesthesia Equipment, second edition, 135
 Dorsch, S. E., *see* Dorsch, J. S.
 Drummond, J. C., *see* Scheller, M. S.
 Duke, P. C., *see* Ghignone, M.
 Duncan, P. G., Pope, W. D. B., Cohen, M. M., Greer, N.: Fetal Risk of Anesthesia and Surgery during Pregnancy, 790
 Durant, P. A. C., Yaksh, T. L.: Epidural Injections of Bupivacaine, Morphine, Fentanyl, Lofentanil, and DADL in Chronically
- Implanted Rats: A Pharmacologic and Pathologic Study, 43; *also see* Yaksh, T. L.
 Duroux, P., *see* Girard, P.
- E**
- Earnshaw, G., *see* Jantzen, J.-P. A. H.
 Ebert, J. P., Grimes, B., Niemann, K.: Reply to: Furosemide May Be Detrimental in the Treatment of Pulmonary Edema, 299
 Edmonds, H. L., Jr., *see* Schurr, A.
 Edouard, A., Berdeaux, A., Langlois, J., Sami, K., Giudicelli, J. F., Noviant, Y.: Effects of Lidocaine on Myocardial Contractility and Baroreflex Control of Heart Rate in Conscious Dogs, 316; *also see* Baron, J.-F.
 Eisenach, J. C., Nugent, M., Miller, F. A., Jr., Mucha, P., Jr.: Echocardiographic Evaluation of Patients with Blunt Chest Injury: Correlation with Perioperative Hypotension, 364
 Eisenkraft, J. B., *see* Mora, C. T.
 Elam, J., *see* Shafieha, M. J.
 El-Etr, A. A., *see* Kleinman, B.
 Elias, M. A. Y., *see* Al-Khafaji, J. M.
 Ellis, D. G., Jakymec, A., Kaplan, R. M., Stewart, R. D., Freeman, J. A., Bleyaert, A., Berkebile, P. E.: Guided Orotracheal Intubation in the Operating Room Using a Lighted Stylet: A Comparison with Direct Laryngoscopic Technique, 823
 Ellis, F. R., Halsall, P. J.: Improper Diagnostic Test May Account for High Incidence of Malignant Hyperthermia Associated with Masseter Spasm, 291
 Ellis, J. S., Jr., Ramamurthy, S.: Seizure Following Stellate Ganglion Block After Negative Aspiration and Test Dose, 533
 Ellison, N., *see* Libonati, M. M.
 Emery, R. E.: Laser Perforation of a Main Stem Bronchus, 120
 Englebach, I., Harp, J. R.: Benzocaine-induced Methemoglobinemia in Sprague-Dawley Rats, 132
 Erbguth, P. H., *see* Lee, J. T.
 Ergin, M. A., *see* Fyman, P. N.
 Eriksen, S.: The Fiberoptic Rhinoscope in Adult Intubation, 128
 Estafanous, F. G., *see* Starr, N. J.
- F**
- Falke, K. J., *see* Zapol, W. M.
 Fenton, W. M.: Intravenous Lidocaine for Control of Coughing during Standby Catract Surgery, 847
 Finck, A. D.: Isoflurane and Intracranial Pressure, 833
 Fink, B. R.: Leaves and Needles, 296
 Firestone, L. L., Sauter, J.-F., Braswell, L. M., Miller, K. W.: Actions of General Anesthetics on Acetylcholine Receptor-rich Membranes from *Torpedo californica*, 694
 Fischler, M., Bonnet, F., Trang, H., Jacob, L., Levron, J. C., Flaisler, B., Vourc'h, G.:

- The Pharmacokinetics of Droperidol in Anesthetized Patients, 486
Fisher, J. A., *see* Hudes, E. T.
Flaisler, B., *see* Fischler, M.
Ford, C. M., *see* Ciccarelli, L. L.
Freeman, A. B., *see* Tillmann Hein, H. A.
Freeman, J. A., *see* Ellis, D. G.
Frew, R., *see* Lundy, P. M.
Friesen, R. H., Henry, D. B.: Cardiovascular Changes in Preterm Neonates Receiving Isoflurane, Halothane, Fentanyl, and Ketamine, 238
Friesen, R. M., *see* Hudson, R. J.
Frost, E. A. M.: Clinical Anesthesia in Neurosurgery, 416
Fujimori, M., *see* Kubota, Y.
Fujinaga, M., *see* Mazze, R. I.
Fyman, P. N., Stein, C., Gotta, A., Casthely, P. A., Ergin, M. A., Griep, R.: Hypoxia Following Tricuspid Valve Resection, 113

G

- Gal, T. J., DiFazio, C. A.: Prolonged Antagonism of Opioid Action with Intravenous Nalmefene in Man, 175
Gallagher, J. D., Moore, R. A., Jose, A. B., Botros, S. B., Clark, D. L.: Prophylactic Nitroglycerin Infusions during Coronary Artery Bypass Surgery, 785
Gandhi, S. K., Burgos, L.: A Technique of Laryngoscopy for Difficult Intubation, 528
Garber, S. Z., *see* Choi, H. J.
Garfield, J. M., Andriole, G. L., Vetto, J. T., Richie, J. P.: Prolonged Diabetes Insipidus Subsequent to an Episode of Chemical Meningitis, 253
Gelb, A. W., *see* Newman, B.
Geller, H., *see* Raja, S. N.
Gelman, S., *see* Merin, R. G.
Gerson, J. I., *see* Greene, E. S.; *also see* Torretti, J.
Ghignone, M., Quintin, L., Duke, P. C., Kehler, C. H., Calvillo, O.: Effects of Clonidine on Narcotic Requirements and Hemodynamic Response during Induction of Fentanyl Anesthesia and Endotracheal Intubation, 36
Gibson, B. E., McMichan, J. C., Cucchiara, R. F.: Lack of Correlation Between Transconjunctival O₂ and Cerebral Blood Flow during Carotid Artery Occlusion, 277
Girard, P., Mal, H., Laine, J.-F., Petitpretz, P., Rain, B., Duroux, P.: Left Heart Failure in Amniotic Fluid Embolism, 262
Giudicelli, J. F., *see* Edouard, A.
Glaser, R.: Chronic Hypokalemia and Intraoperative Dysrhythmias, 408
Glenski, J. A., Crawford, M., Rehder, K.: High-frequency, Small-volume Ventilation during Thoracic Surgery, 211
Glenski, J. A., Cucchiara, R. F.: Transcutaneous O₂ and CO₂ Monitoring of Neurosurgical Patients: Detection of Air Embolism, 546

- Glenski, J. A., Cucchiara, R. F., Michenfelder, J. D.: Transesophageal Echocardiography and Transcutaneous O₂ and CO₂ Monitoring for Detection of Venous Air Embolism, 541
Glisson, S. N., *see* Kleinman, B.
Gold, M. I., Brown, M., Coverman, S., Herrington, C.: Heart Rate and Blood Pressure Effects of Esmolol after Ketamine Induction and Intubation, 718
Goldberg, M., McKenna, J.: Reply to: Potency of Sufentanil, 667
Goldman, M., *see* Bailey, P. L.
Gotta, A., *see* Fyman, P. N.
Gottlieb, A., Satariano, P., Sethna, D., Millar, R. A.: Isorhythmic Dissociation, 407
Goudsouzian, N., Martyn, J., Rudd, G. D., Liu, L. M. P., Lineberry, C. G.: Continuous Infusion of Atracurium in Children, 171
Gourlay, G. K., Willis, R. J., Lamberty, J.: A Double-blind Comparison of the Efficacy of Methadone and Morphine in Postoperative Pain Control, 322
Gravlee, G. P., Johnston, W. E.: Effect of Ventilation on Baseline Pulmonary Artery Temperature, 293; *also see* Prough, D. S.
Green, C. G.: Improved Technique for Fiberoptic Intubation, 835
Greene, E. R., Jr.: Unexpected Arteriovenous Fistula in the Arm of an Intravenous Drug Abuser, 842
Greene, E. R., Jr., Gutierrez, F. A.: Tip of Polyvinyl Chloride Double-lumen Endotracheal Tube Inadvertently Wedged in Left Lower Lobe Bronchus, 406
Greene, E. S., Gerson, J. I.: One versus Two MAC Halothane Anesthesia Does Not Alter the Left Ventricular Diastolic Pressure-Volume Relationship, 230
Greer, N., *see* Duncan, P. G.
Grice, S. C., Morell, R. C., Balestrieri, F. J.: Confusion Regarding Experimental Studies of Intravenous Regional Anesthesia, 526
Griep, R., *see* Fyman, P. N.
Griffiths, G.: Reply to: A Potential Hazard: Interchanging Fentanyl and Sufentanil, 410
Griffiths, G.: Reply to: Potency of Sufentanil, 667
Grimes, B., *see* Ebert, J. P.
Gronert, G. A., Ahern, C. P., Milde, J. H., White, R. D.: Effect of CO₂, Calcium, Digoxin, and Potassium on Cardiac and Skeletal Muscle Metabolism in Malignant Hyperthermia Susceptible Swine, 24; *also see* Lennon, R. L.
Gross, J. B., *see* Leighton, B. L.
Grosslight, K., Bedford, R. F.: Reply to: Isoflurane and Intracranial Pressure, 834
Gurmarnik, S., Horowitz, J.: Bilateral Uterine Displacement Device, 654
Guslitz, B., *see* Hudes, E. T.
Gutierrez, F. A., *see* Greene, E. R., Jr.
Gutsche, B. B., *see* Leighton, B. L.

H

- Hackett, G. H., *see* Jantzen, J.-P. A. H.
Hajianpour, B., *see* Shafieha, M. J.
Haley, J. D.: Local Anesthetics Administered Topically: Sterile or Not?, 535
Halsall, P. J., *see* Ellis, F. R.
Hamelberg, W., *see* Nusbaum, L. M.
Hamilton, W. K., *see* Brett, C. M.
Hansen, R. M., Viquerat, C. E., Matthay, M. A., Wiener-Kronish, J. P., DeMarco, T., Bahtia, S., Marks, J. D., Botvinick, E. H., Chatterjee, K.: Poor Correlation Between Pulmonary Arterial Wedge Pressure and Left Ventricular End-diastolic Volume after Coronary Artery Bypass Graft Surgery, 764
Hantler, C. B., *see* Van Der Spek, A. F. L.
Harnik, E. V., Hoy, G. R., Potolicchio, S., Stewart, D. R., Siegelman, R. E.: Spinal Anesthesia in Premature Infants Recovering from Respiratory Distress Syndrome, 95
Harp, J. R., *see* Englebach, I.
Harper, W. V., *see* Matalon, S.
Harris, A. P., *see* Abraham, R. A.
Harris, S. B., *see* Mazze, R. I.
Harte, F., *see* Curley, J.
Hartley, C., *see* Chelly, J. E.; *also see* Rogers, K.
Harty, G. J., *see* Yaksh, T. L.
Haslam, K. R., Nielsen, C. H.: Do Passive Heat and Moisture Exchangers Keep the Patient Warm?, 379
Hawkins, R. A., *see* Davis, D. W.; *also see* Viña, J. R.
Head, N., *see* Benthuysen, J. L.
Heinonen, J., *see* Salmenperä, M.
Helmer, L., *see* Iberti, T. J.
Helrich, M., *see* Shin, B.
Hendricks, P. L., *see* Aldrete, J. A.
Henkin, R. E., *see* Kleinman, B.
Hennart, D., d'Hollander, A., Plasman, C., de Jonckheere, M.: Importance of the Level of Paralysis Recovery for a Rapid Antagonism of Atracurium Neuromuscular Blockade with Moderate Doses of Edrophonium, 384
Henriksson, R., *see* Östman, M.
Henry, D. B., *see* Friesen, R. H.
Herrington, C., *see* Gold, M. I.
Hey, N. T. P., Mahood, J. H. S., Pietak, S. P.: A Complication of External Jugular Cannulation, 836
Heyman, H., *see* Salem, M. R.
Hickey, P. R.: Intraoperative Tension Pneumopericardium with Tamponade after Ligation of Patent Ductus Arteriosus in a Premature Neonate, 641
Hilberman, M., Hyer, D.: Potency of Sufentanil, 665
Hill, A. B., *see* Crider, B.
Hindman, B. J., Koka, B. V.: Usefulness of the Post-aspirin Bleeding Time, 368
Hinshelwood, L., *see* Prough, D. S.
Hirakawa, M., *see* Ueda, I.

- Hood, D. D., Dewan, D. M., James, F. M., III: Maternal and Fetal Effects of Epinephrine in Gravid Ewes, 610
 Hood, D. D., *see* Johnson, K. G.
 Horowitz, J., *see* Gurmarnik, S.
 Howard, G., *see* Johnston, W. E.; *also see* Prough, D. S.
 Howland, W. S., *see* Carlon, G. C.
 Hoy, G. R., *see* Harnik, E. V.
 Hudes, E. T., Fisher, J. A., Guslitz, B.: Difficult Endotracheal Reintubations: A Simple Technique, 515
 Hudson, R. J., Thomson, I. R., Cannon, J. E., Friesen, R. M., Meatherall, R. C.: Pharmacokinetics of Fentanyl in Patients Undergoing Abdominal Aortic Surgery, 334
 Hug, C. C., Jr., *see* Prys-Roberts, C.
 Hyer, D., *see* Hilberman, M.
 Hyman, A. I., *see* Weissman, C.
 Hysing, E. S., *see* Chelly, J. E.; *also see* Rogers, K.

I

- Iberti, T. J., Paluch, T. A., Helmer, L., Murgolo, V. A., Benjamin, E.: The Hemodynamic Effects of Intravenous Cimetidine in Intensive Care Unit Patients: A Double-blind, Prospective Study, 87
 Ihmeidan, I. H., *see* Szeinfeld, M.
 Inada, Y., *see* Morita, S.
 Inturrisi, C. E., *see* Rawal, N.
 Isaacs, H., *see* Braude, B. M.; *also see* Whistler, T.
 Izumi, F., *see* Yashima, N.

J

- Jacob, L., *see* Fischler, M.
 Jacobsen, E., *see* Berthelsen, P.
 Jakymec, A., *see* Ellis, D. G.
 James, F. M., III, *see* Hood, D. D.
 Jantzen, J.-P. A. H., Hackett, G. H., Earnshaw, G.: Succinylcholine and Open Eye Injury, 524
 Jebson, P. J., *see* Schroeder, G. M.
 Jick, H., *see* Beard, K.
 Jobs, D. R., Nicolson, S. C.: An Alternative Method to Secure an Endotracheal Tube in Infants with Midline Facial Defects, 643; *also see* Zahl, K.
 Johans, T. G.: Multiorificated Catheter Placement with an Intravascular Electrocardiographic Technique, 411
 Johnson, K. G., Hood, D. D.: Esophageal Perforation Associated with Endotracheal Intubation, 281
 Johnston, R. V., Nicholas, D. A., Lawson, N. W., Wallfisch, H. K., Arens, J. F.: The Use of Rectal Clonidine in the Perioperative Period, 288
 Johnston, W. E., Royster, R. L., Choplin, R. H., Howard, G., Mills, S. A., Tucker, W. Y.: Pulmonary Artery Catheter Migration

- during Cardiac Surgery, 258; *also see* Gravlee, G. P.
 Jones, J. R., *see* Sessler, C. N.
 Jose, A. B., *see* Gallagher, J. D.
 Joseph, N. J., *see* Salem, M. R.

K

- Kalichman, M. W., *see* Myers, R. R.
 Kamaya, H., *see* Ueda, I.
 Kaplan, R. M., *see* Ellis, D. G.
 Kaplow, S., *see* Abraham, R. A.
 Kapur, P. A., *see* Campos, J. H.
 Kartha, R., *see* Shafieha, M. J.
 Kataria, B. K., Chen, J.: Another Method to Secure Drapes on IV Poles, 302
 Kato, K., *see* Yano, M.
 Kawamoto, M., Yuge, O., Kikuchi, H., Kodama, K., Morio, M.: No Myocardial Involvement in Nonrigid Malignant Hyperthermia, 93
 Kehler, C. H., *see* Ghignone, M.
 Kempen, P. M.: Cricoid Pressure, Awake Intubation, or Both?, 831
 Kemper, M., *see* Weissman, C.
 Kickler, T. S., *see* Latson, J. W.
 Kikuchi, H., *see* Kawamoto, M.
 Kimovec, M. A., *see* Sloan, T. B.
 Kinney, J. M., *see* Weissman, C.
 Kisslo, J. A., *see* Clements, F. M.
 Kitahata, L. M., *see* Aoki, M.
 Kleinman, B., Henkin, R. E., Glisson, S. N., El-Etr, A. A., Bakhos, M., Sullivan, H. J., Montoya, A., Pifarre, R.: Qualitative Evaluation of Coronary Flow during Anesthetic Induction Using Thallium-201 Perfusion Scans, 157
 Kloosterboer, T. B., Springman, S. R., Coursin, D. B.: Subclavian Vein Catheter as a Source of Air Emboli in the Sitting Position, 411
 Klose, K. J., *see* Szeinfeld, M.
 Knape, J. T. A.: Early Respiratory Depression Resistant to Naloxone Following Epidural Buprenorphine, 382
 Knill, R. L., *see* Moote, C. A.
 Kodama, K., *see* Kawamoto, M.
 Koeter, H. B. W. M., *see* Rodier, P. M.
 Koka, B. V., *see* Hindman, B. J.; *also see* Schwartz, L.
 Kolb, M. E., *see* Braude, B. M.
 Kopman, A. F.: Reply to: Caution in Making Clinical Recommendations Based on Electromyographic Measurements, 530
 Kopman, A. F.: Reply to: Monitoring Neuromuscular Function, 532
 Kosek, J. C., *see* Baden, J. M.
 Kramer, M.: Invasive Procedures. A Year in the World of Two Surgeons, 135
 Krieg, N., *see* Buzello, W.
 Krishna, G., *see* Rao, C. C.
 Kubota, H., *see* Kubota, Y.
 Kubota, Y., Toyoda, Y., Nagata, N., Kubota, H., Sawada, S., Murakawa, M., Fujimori,

- M.: Tracheo-bronchial Angles in Infants and Children, 374
 Kundomal, Y. R., *see* Baden, J. M.
 Kunkel, H., *see* Pichlmayr, I.
 Kupferberg, J., *see* Sieber, F.

L

- Laine, J.-F., *see* Girard, P.
 Lam, A. M., *see* Newman, B.
 Lamberty, J., *see* Gray, G. K.
 Lampe, G. N., *see* M'nnheimer, J. S.
 Lange, J. S., *see* Letti, J.
 Langlois, J., *see* Edouard, A.
 Lanier, W. L.: Intraoperative Air Entrainment with Ohio® Modulus® Anesthesia Machine, 266
 Lanier, W. L., Milde, J. H., Michenfelder, J. D.: Cerebral Stimulation Following Succinylcholine in Dogs, 551
 Lanza, V., Mercadante, S.: Isoflurane and the Oxyhemoglobin Dissociation Curve in Humans, 413
 Laravuso, R. B., Perloff, W. H.: Difficult Pediatric Intubation, 668
 Larson, C. P., Jr., *see* Pearl, R. G.
 Latson, J. W., Kickler, T. S., Baumgartner, W. A.: Pulmonary Hypertension and Noncardiogenic Pulmonary Edema Following Cardiopulmonary Bypass Associated with an Antigranulocyte Antibody, 106
 Lawson, N. W., *see* Johnston, R. V.
 Leahy, J. J., *see* Libonati, M. M.
 Lee, J. T., Erbguth, P. H., Stevens, W. C.: Failure to Detect Toxicity with the Concomitant Use of Cyclophosphamide and Halothane in Humans, 810
 Lee, V., Chen, J.: Caution in Making Clinical Recommendations Based on Electromyographic Measurements, 529
 Leicht, C. H., Waldman, J.: Pulmonary Air Embolism in the Pediatric Patient Undergoing Central Catheter Placement: A Report of Two Cases, 519
 Leighton, B., *see* Sosis, M.
 Leighton, B. L., Cheek, T. G., Gross, J. B., Apfelbaum, J. L., Shantz, B. B., Gutsche, B. B., Rosenberg, H.: Succinylcholine Pharmacodynamics in Peripartum Patients, 202
 Lemesle, P., *see* Clergue, F.
 Lennon, R. L., Olson, R. A., Gronert, G. A.: Atracurium or Vecuronium for Rapid Sequence Endotracheal Intubation, 510
 Lepage, J. Y., *see* Cozian, A.
 Levron, J. C., *see* Fischler, M.
 Levy, W. J.: Pancuronium and Myocardial Ischemia, 659
 Levy, W. J.: Power Spectrum Correlates of Changes in Consciousness during Anesthetic Induction with Enflurane, 688
 Lewis, L. S., *see* Rodier, P. M.
 Lhoste, F., *see* Cozian, A.
 Liban, B. J., Davies, D. M.: Elective Coronary Bypass Surgery without Pulmonary Artery Catheter Monitoring, 664

- Libonati, M. M., Leahy, J. J., Ellison, N.: Reply to: Succinylcholine and Open Eye Injury, 525
- Linde, H. W., see Wilkinson, C. J.
- Lineberry, C. G., see Goudsouzian, N.
- Lips, U., see Pichlmayr, I.
- Littmann, V., see Walsh, M. P.
- Liu, L. M. P., see Goudsouzian, N.
- Lockwood, P. A., see Lundy, P. M.
- Loeser, E. A., see Diehl, P. J.
- Long, R., see Mayers, I.
- Longnecker, D. E., see Seyde, W. C.; also see Weinberg, G.
- Lowenstein, E., see Merin, R. G.
- Lundy, P. M., Lockwood, P. A., Thompson, G., Frew, R.: Differential Effects of Ketamine Isomers on Neuronal and Extraneuronal Catecholamine Uptake Mechanisms, 359
- Lupei, R., see Wong, D. H.
- Lutroff, M. E., see Baden, J. M.
- Lydon, J. C.: Furosemide May Be Detrimental in the Treatment of Pulmonary Edema, 298
- Lynch, C., III: Differential Depression of Myocardial Contractility by Halothane and Isoflurane *In Vitro*, 620

M

- Machado, R., see Szeinfeld, M.
- Mackenzie, C. F., see Shin, B.
- Maekawa, T., see Tommasino, C.
- Mahood, J. H. S., see Hey, N. T. P.
- Mal, H., see Girard, P.
- Maltby, J. R., Williams, R. T.: Morphine-Induced Cardiac Pain?, 527
- Mannheimer, J. S., Lampe, G. N.: Clinical Transcutaneous Electrical Nerve Stimulation, 671
- Mans, A. M., see Davis, D. W.
- Mapleson, W. W.: More on Eponyms Used in Anesthesiology, 829
- March, K., see Sieber, F.
- Marina, T.: Potency versus Cost of Narcotics, 842
- Mark, J. B. D., see Brodsky, J. B.
- Marks, J. D., see Hansen, R. M.
- Markschies-Hornung, A., see Tarnow, J.
- Maroon, J., see Teeple, E.
- Marshall, B. E., see Domino, K. B.
- Marshall, C., see Domino, K. B.
- Marty, J., Nitenberg, A., Blanchet, F., Zouieueche, S., Desmonts, J. M.: Effects of Midazolam on the Coronary Circulation in Patients with Coronary Artery Disease, 206
- Martyn, J., see Goudsouzian, N.
- Mashimo, T., Abe, K., Yoshiya, I.: Dual Effect of Local Anesthetics on the Function of Excitable Rod Outer Segment Disk Membrane, 447
- Matalon, S., Harper, W. V., Nickerson, P. A., Olszowka, J.: Intravenous Bleomycin Does Not Alter the Toxic Effects of Hyperoxia in Rabbits, 614
- Mathru, M., see Venus, B.
- Matthay, M. A., see Hansen, R. M.
- Maxwell, L. G., see Abraham, R. A.
- Mayers, I., Long, R., Breen, P. H., Wood, L. D. H.: Artificial Ventilation of a Canine Model of Bronchopleural Fistula, 739
- Mazze, R. I., Fujinaga, M., Rice, S. A., Harris, S. B., Baden, J. M.: Reproductive and Teratogenic Effects of Nitrous Oxide, Halothane, Isoflurane, and Enflurane in Sprague-Dawley Rats, 339; also see Baden, J. M.; Servin, F. F.
- McChristian, J. W., see Rupp, S. M.
- McKenna, J., see Goldberg, M.
- McMichan, J. C., see Gibson, B. E.
- McMorland, G. H., see Cole, C. P.
- McNiece, W. L., see Dierdorf, S. F.; also see Nowak, G. S.
- Means, L. J., see Dierdorf, S. F.
- Meatherall, R. C., see Hudson, R. J.
- Menk, E. J., see Middaugh, R. E.
- Mercadante, S., see Lanza, V.
- Merin, R. G., Lowenstein, E., Gelman, S.: Is Anesthesia Beneficial for the Ischemic Heart? III, 137; also see Chelly, J. E.; Rogers, K.
- Michenfelder, J. D.: A Valid Demonstration of Barbiturate-induced Brain Protection in Man—At Last, 140; also see Glenski, J. A.; Lanier, W. L.; Stangland, K. J.
- Michoud, M.-C., see Amyot, R.
- Middaugh, R. E., Bauman, J. M., Menk, E. J.: Reply to: Continuous Intercostal Nerve Block, 670
- Milde, J. H., see Gronert, G. A.
- Milde, J. H., see Lanier, W. L.
- Milde, J. H., see Stangland, K. J.
- Millar, R. A., see Gottlieb, A.
- Miller, C. F., see Breslow, M. J.
- Miller, F. A., Jr., see Eisenach, J. C.
- Miller, K. W., see Firestone, L. L.
- Miller, R. D., see Rupp, S. M.; also see Taboada, J. A.
- Mills, S. A., see Johnston, W. E.; also see Prough, D. S.
- Minakami, S., see Nakagawara, M.
- Mitchell, M. M., see Zornow, M. H.
- Mizutani, T., see Seino, H.
- Modell, J. H.: Minimal Requirements for Monitoring—1986, 840
- Momii, S. T., see Bashein, G.
- Montoya, A., see Kleinman, B.
- Moore, D. C.: Ester or Amide Local Anesthetics in Malignant Hyperthermia—Who Knows?, 294
- Moore, P. L.: Nitroglycerin Improves Venous Cannulation, 533
- Moore, R. A., see Gallagher, J. D.
- Moorthy, S. S., see Nowak, G. S.
- Moote, C. A., Knill, R. L., Clement, J.: Ventilatory Compensation for Continuous Inspiratory Resistive and Elastic Loads during Halothane Anesthesia in Humans, 582
- Mora, C. T., Eisenkraft, J. B., Papatestas, A. E.: Intravenous Dantrolene in a Patient with Myasthenia Gravis, 371
- Morell, R. G., see Grice, S. C.
- Morio, M., see Kawamoto, M.
- Morita, S., Snider, M. T., Inada, Y.: Increased N-pentane Excretion in Humans: A Consequence of Pulmonary Oxygen Exposure, 730
- Moser, M. M., see Szeinfeld, M.
- Motokawa, K., see Yamashita, M.
- Moyes, D. G., see Braude, B. M.
- Mucha, P., Jr., see Eisenach, J. C.
- Murakawa, M., see Kubota, Y.
- Murgolo, V. A., see Iberti, T. J.
- Murphy, D. F.: Continuous Intercostal Nerve Block, 669
- Murray, T., see Zahl, K.
- Musich, J., Walts, L. F.: Pulmonary Aspiration after a Priming Dose of Vecuronium, 517
- Myers, R. R., Kalichman, M. W., Reisner, L. S., Powell, H. C.: Neurotoxicity of Local Anesthetics: Altered Perineurial Permeability, Edema, and Nerve Fiber Injury, 29

N

- Nagata, N., see Kubota, Y.
- Nahrwold, M. L., see Van Der Spek, A. F. L.
- Naito, H., see Seino, H.
- Nakagawara, M., Takeshige, K., Takamatsu, J., Takahashi, S., Yoshitake, J., Minakami, S.: Inhibition of Superoxide Production and Ca²⁺ Mobilization in Human Neutrophils by Halothane, Enflurane, and Isoflurane, 4
- Nakamura, K., see Seino, H.
- Nann, L., see Sieber, F.
- Neal, M. B., see Wolf, W. J.
- Newman, B., Gelb, A. W., Lam, A. M.: The Effect of Isoflurane-induced Hypotension on Cerebral Blood Flow and Cerebral Metabolic Rate for Oxygen in Humans, 307
- Nicholas, D. A., see Johnston, R. V.
- Nickel, P. M., see Bromage, P. R.
- Nickerson, P. A., see Matalon, S.
- Nicolson, S. C., see Jobs, D. R.
- Nielsen, C. H., see Haslam, K. R.
- Nielson, L., see Pearl, R. G.
- Niemann, K., see Ebert, J. P.
- Nightingale, P., see Crider, B.
- Nishiyama, H., see Yano, M.
- Nitenberg, A., see Marty, J.
- Nivoche, Y., see Servin, F. F.
- Noel, T. A., II: Computerized Anesthesia Records May Be Dangerous, 300
- Noeldge, G., see Buzello, W.
- Nonoue, T., see Yonei, A.
- Norman, E. A., Zeig, N. J., Ahmad, I.: Better Designs for Mass Spectrometer Monitoring of the Awake Patient, 664
- Noueihed, R. Y., see Yaksh, T. L.
- Noviant, Y., see Edouard, A.
- Nowak, G. S., Moorthy, S. S., McNiece, W. L.: Use of Pulse Oximetry for Assessment of Collateral Arterial Flow, 527
- Nugent, M., see Eisenach, J. C.

Nusbaum, L. M., Hamelberg, W.: Intravenous Regional Anesthesia for Surgery on the Foot and Ankle, 91

Nussmeier, N. A., Arlund, C., Slogoff, S.: Neuropsychiatric Complications after Cardiopulmonary Bypass: Cerebral Protection by a Barbiturate, 165

O

Oates, R. P., *see* Torretti, J.

Olson, R. A., *see* Lennon, R. L.

Oliszowska, J., *see* Matalon, S.

Onofrio, B. M., *see* Yaksh, T. L.

Östman, M., Henriksson, R., Sundström, S., Reiz, S.: Isoflurane—A Study of Its Adrenoceptor Interaction in the Isolated Rat Parotid Gland, 734

Otsuka, T., *see* Yano, M.

P

Paasuke, R. T., *see* Walsh, M. P.

Pace, N. L., *see* Bailey, P. L.

Paluch, T. A., *see* Iberti, T. J.

Papastetas, A. E., *see* Mora, C. T.

Pappas, A. L., *see* Shafieha, M. J.

Paradise, R. R., *see* Rao, C. C.

Parasher, C., *see* Arndt, J. O.

Pariente, R., *see* Clergue, F.

Parker, S. D., *see* Breslow, M. J.

Paulsian, R., *see* Salem, M. R.

Pearl, R. G., Larson, C. P., Jr.: Hemodynamic Effects of Positive End-expiratory Pressure during Continuous Venous Air Embolism in the Dog, 724

Pearl, R. G., Rosenthal, M. H.: Cardiac Output Effects of Nitroglycerin in Experimental Lung Injury, 129

Pearl, R. G., Rosenthal, M. H., Nielson, L., Ashton, J. P. A., Brown, B. W., Jr.: Effect of Injectate Volume and Temperature on Thermomodulation Cardiac Output Determination, 798

Perkins, H. M., *see* Carlson, C. A.

Perloff, W. H., *see* Laravuso, R. B.

Pesko, L. J., *see* Sessler, C. N.

Peterson, M. D., *see* Wolf, W. J.

Petitpretz, P., *see* Girard, P.

Pichlmayr, I., Lips, U., Kunkel, H.: The Electroencephalogram in Anesthesia, 304

Pietak, S. P., *see* Hey, N. T. P.

Pifarre, R., *see* Kleinman, B.

Pinaud, M., *see* Cozian, A.

Plasman, C., *see* Hennart, D.

Pollmaecher, T., *see* Buzello, W.

Polta, T. A.: Cost of Different Narcotics, 843

Pope, W. D. B., *see* Duncan, P. G.

Potolicchio, S., *see* Harnik, E. V.

Powell, H. C., *see* Myers, R. R.

Powell, K. D., *see* Sessler, C. N.

Press, P., *see* Braude, B. M.

Prough, D. S., Stump, D. A., Roy, R. C., Gravlee, G. P., Williams, T., Mills, S. A., Hinshelwood, L., Howard, G.: Response of

Cerebral Blood Flow to Changes in Carbon Dioxide Tension during Hypothermic Cardiopulmonary Bypass, 576

Prys-Roberts, C., Hug, C. C., Jr.: Pharmacokinetics of Anaesthesia, 671

Putnins, C. L., *see* Thomson, I. R.

Q

Quintin, L., *see* Ghignone, M.

R

Rain, B., *see* Girard, P.

Raja, S. N., Geller, H.: Another Potential Source of a Major Gas Leak, 297

Ramamurthy, S., *see* Ellis, J. S., Jr.

Ramanathan, S., Sheth, R., Turndorf, H.: Anesthesia for Cesarean Section in Patients with Genital Herpes Infections: A Retrospective Study, 807

Rao, C. C., Boyer, M. S., Krishna, G., Paradise, R. R.: Increased Sensitivity of the Isometric Contraction of the Neonatal Isolated Rat Atria to Halothane, Isoflurane, and Enflurane, 13; *also see* Dierdorf, S. F.

Rawal, N., Schött, U., Dahlström, B., Inturrisi, C. E., Tandon, B., Sjöstrand, U., Wennhager, M.: Influence of Naloxone Infusion on Analgesia and Respiratory Depression Following Epidural Morphine, 194

Ray, C. D.: Head and Chin Cushioned Face-rest for Surgery in the Prone Position, 301

Razin, M., *see* Vatahsky, E.

Reardon, M. R. W., *see* Brister, N. W.

Redick, L. F.: Subdural Catheterization—Probably Not, II, 838

Rehder, K., *see* Glenski, J. A.

Reid, K. H., *see* Schurr, A.

Reisner, L. S., *see* Myers, R. R.

Reiz, S., *see* Östman, M.

Reuter, J., *see* Sill, J. C.

Rice, S. A., *see* Mazze, R. I.; *also see* Servin, F. F.

Richie, J. P., *see* Garfield, J. M.

Riddle, R. T.: Reply to: Do Not Use the "Innovated" Cylinder Valve Handle for Cracking the Valve, 659

Rigor, B. M., *see* Schurr, A.

Rockoff, M. A., *see* Schwartz, L.

Rodier, P. M., Aschner, M., Lewis, L. S., Koetter, H. B. W. M.: Cell Proliferation in Developing Brain after Brief Exposure to Nitrous Oxide or Halothane, 680

Rogers, K., Hysing, E. S., Merin, R. G., Taylor, A., Hartley, C., Chelly, J. E.: Cardiovascular Effects of and Interaction between Calcium Blocking Drugs and Anesthetics in Chronically Instrumented Dogs. II. Verapamil, Enflurane, and Isoflurane, 568; *also see* Chelly, J. E.

Rogers, M. C., *see* Breslow, M. J.

Rosen, D. A., *see* Rosen, K. R.

Rosen, K. R., Rosen, D. A., Broadman, L.: A Simple Method for Warming Intravenous Fluid in Infants, 133

Rosenbaum, S. H., *see* Weissman, C.

Rosenberg, H., *see* Leighton, B. L.

Rosenthal, M. H., *see* Pearl, R. G.; *also see* Shapiro, J. M.

Roy, R. C., *see* Prough, D. S.

Royster, R. L., *see* Johnston, W. E.

Rudd, G. D., *see* Goudsouzian, N.

Rueger, R., *see* Teeple, E.

Rupp, S. M., McChristian, J. W., Miller, R. D., Taboada, J. A., Cronnelly, R.: Neostigmine and Edrophonium Antagonism of Varying Intensity Neuromuscular Blockade Induced by Atracurium, Pancuronium, or Vecuronium, 711; *also see* Taboada, J. A.

Russell, A. H., *see* Bashein, G.

S

Sabnis, L., *see* Shafieha, M. J.

Sabo, B., Smith, R. B.: A Tidy Adjunct to Arterial Cannulation, 534

Salem, M. R., Joseph, N. J., Heyman, H., Paulsian, R.: Reply to: Cricoid Pressure, Awake Intubation, or Both?, 832

Salmenperä, M., Heinonen, J.: Pulmonary Vascular Responses to Moderate Changes in P_{aCO_2} after Cardiopulmonary Bypass, 311

Salzarulo, H. H., Taylor, L. A.: Diabetic "Stiff Joint Syndrome" as a Cause of Difficult Endotracheal Intubation, 366

Samii, K., *see* Edouard, A.

Samii, Kamran, *see* Baron, J.-F.

Samuels, S. I.: An Alarming Problem, 128

Sanford, T. J., *see* Benthuyse, J. L.; *also see* Ward, C. F.

Sari, A., *see* Yonei, A.

Satariano, P., *see* Gottlieb, A.

Sauter, J.-F., *see* Firestone, L. L.

Sawada, S., *see* Kubota, Y.

Scamman, F. L.: Anesthesia Bulletin Board System, 670

Scheller, M. S., Todd, M. M., Drummond, J. C.: Isoflurane, Halothane, and Regional Cerebral Blood Flow at Various Levels of P_{aCO_2} in Rabbits, 598

Schlurmann, D., *see* Buzello, W.

Schmidt, S. I., Baysinger, C. L.: Alarms: Help or Hindrance?, 654

Schött, U., *see* Rawal, N.

Schroeder, G. M., Jebson, P. J.: The Supine Hypotension Syndrome in a Young Boy, 377

Schulte-Sasse, U., *see* Tarnow, J.

Schumacher, K., *see* Sill, J. C.

Schurr, A., Spears, B., Reid, K. H., West, C. A., Edmonds, H. L., Jr., Rigor, B. M.: Lidocaine Depresses Synaptic Activity in the Rat Hippocampal Slice, 501

Schwartz, L., Rockoff, M. A., Koka, B. V.: Reply to: Masseter Spasm and Malignant Hyperthermia Are Not the Same Thing, 292

Seino, H., Dohi, S., Aiyoshi, Y., Mizutani, T., Nakamura, K., Naito, H.: Postoperative Hepatic Dysfunction after Halothane or

- Enflurane Anesthesia in Patients with Hyperthyroidism, 122
- Senami, M., *see* Aoki, M.
- Serafini, A. N., *see* Zeinfeld, M.
- Servin, F. F., Nivoche, Y., Desmonts, J.-M., Rice, S. A., Mazze, R. I.: Biotransformation of Halothane and Enflurane in Patients with Hyperthyroidism, 387
- Sessler, C. N., Vitaliti, J. C., Cooper, K. R., Jones, J. R., Powell, K. D., Pesko, L. J.: Comparison of 4% Lidocaine/0.5% Phenylephrine with 5% Cocaine: Which Dilates the Nasal Passage Better?, 274
- Sethna, D., *see* Gottlieb, A.
- Sethna, D. H., *see* Starr, N. J.
- Seyde, W. C., Longnecker, D. E.: Cerebral Oxygen Tension in Rats during Deliberate Hypotension with Sodium Nitroprusside, 2-chloroadenosine, or Deep Isoflurane Anesthesia, 480
- Shafer, A., *see* White, P. F.
- Shafieha, M. J., Sit, J., Kartha, R., Sabnis, L., Hajianpour, B., Pappas, A. L., Yu, E., Elam, J., Balagot, R. C.: End-tidal CO₂ Analyzers in Proper Positioning of the Double-lumen Tubes, 844
- Shanks, Colin A.: Pharmacokinetics of the Nondepolarizing Neuromuscular Relaxants Applied to Calculation of Bolus and Infusion Dosage Regimens, 72
- Shantz, B. B., *see* Leighton, B. L.
- Shapiro, H., Unger, R.: Blind, But Not Deaf or Dirty, Intubations, 297
- Shapiro, H. M.: Animal Rights and Biomedical Research: No Place for Complacency, 142; *also see* Tommasino, C.
- Shapiro, J. M., Westphal, L. M., White, P. F., Sladen, R. N., Rosenthal, M. H.: Midazolam Infusion for Sedation in the Intensive Care Unit: Effect on Adrenal Function, 394
- Sheikh, F., *see* Curley, J.
- Sheth, R., *see* Ramanathan, S.
- Shin, B., Mackenzie, C. F., Helrich, M.: Creatinine Clearance for Early Detection of Posttraumatic Renal Dysfunction, 605
- Shulman, M. S., *see* Brodsky, J. B.
- Sieber, F., Smith, D. S., Kupferberg, J., Crosby, L., Uzzell, B., Buzby, G., March, K., Nann, L.: Effects of Intraoperative Glucose on Protein Catabolism and Plasma Glucose Levels in Patients with Supratentorial Tumors, 453
- Siegelman, R. E., *see* Harnik, E. V.
- Sill, J. C., Schumacher, K., Southorn, P. A., Reuter, J., Yaksh, T. L.: Bradycardia and Hypotension Associated with Baclofen Used during General Anesthesia, 255
- Silverman, W. A.: Human Experimentation: A Guided Step into the Unknown, 848
- Sit, J., *see* Shafieha, M. J.
- Sjöstrand, U., *see* Rawal, N.
- Skeehan, T. M., Cory, P. C., Jr.: Neurolytic Lumbar Sympathetic Block in the Treatment of Raynaud's Phenomenon, 119
- Sladen, R. N., *see* Shapiro, J. M.
- Sloan, T. B., Kimovec, M. A.: Detection of Venous Air Embolism by Airway Pressure Monitoring, 645
- Slogoff, S., *see* Nussmeier, N. A.
- Smith, D. S., *see* Sieber, F.
- Smith, N. T., *see* Benthuyssen, J. L.
- Smith, R. A., *see* Venus, B.
- Smith, R. B., *see* Sabo, B.
- Smith, T. C.: Dyscsmesis Delays Disappearance, 133
- Snider, M. T., *see* Morita, S.
- Soper, L. E., *see* Vitez, T. S.
- Sosis, M., Leighton, B.: In Defense of Trimethaphan for Use in Preeclampsia, 657
- Souron, R., *see* Cozian, A.
- Southorn, P. A., *see* Sill, J. C.
- Spargo, P. M., *see* Van Der Spek, A. F. L.
- Spears, B., *see* Schurr, A.
- Springman, S. R., *see* Kloosterboer, T. B.
- Stangland, K. J., Milde, J. H., Michenfelder, J. D.: Canine Cerebral Function and Blood Flow after Complete Cerebral Ischemia: Effect of Head Position, 430
- Stanley, T. H., *see* Bailey, P. L.
- Starr, N. J., Sethna, D. H., Estafanous, F. G.: Bradycardia and Asystole Following the Rapid Administration of Sufentanil with Vecuronium, 521
- Stead, S. W., *see* Weiskopf, M.
- Stein, C., *see* Fyman, P. N.
- Stevens, R. A.: Reply to: Subdural Catheterization—Probably Not. II, 839
- Stevens, W. C., *see* Lee, J. T.
- Steward, D. J.: Manual of Pediatric Anesthesia, 671
- Stewart, D. R., *see* Harnik, E. V.
- Stewart, R. D., *see* Ellis, D. G.
- Stirt, J. A., *see* Weinberg, G.
- St.-Jean, S., *see* Amyot, R.
- Stump, D. A., *see* Prough, D. S.
- Sullivan, H. J., *see* Kleinman, B.
- Sundström, S., *see* Östman, M.
- Sung, M.-L., *see* White, P. F.
- Szeinfeld, M., Ihmeidan, I. H., Moser, M. M., Machado, R., Klose, K. J., Serafini, A. N.: Epidural Blood Patch: Evaluation of the Volume and Spread of Blood Injected into the Epidural Space, 820
- T**
- Taboada, J. A., Rupp, S. M., Miller, R. D.: Refining the Priming Principle for Vecuronium during Rapid-sequence Induction of Anesthesia, 243; *also see* Rupp, S. M.
- Takahashi, S., *see* Nakagawara, M.
- Takamatsu, J., *see* Nakagawara, M.
- Takeshige, K., *see* Nakagawara, M.
- Tandon, B., *see* Rawal, N.
- Tarnow, J., Marksches-Hornung, A., Schultze-Sasse, U.: Isoflurane Improves the Tolerance to Pacing-induced Myocardial Ischemia, 147
- Taylor, A., *see* Chelly, J. E.; *also see* Rogers, K.
- Taylor, L. A., *see* Salzarulo, H. H.
- Teeple, E., Maroon, J., Rueger, R.: Hemimacroglossia and Unilateral Ischemic Necrosis of the Tongue in a Long-duration Neurosurgical Procedure, 845
- Thompson, G., *see* Lundy, P. M.
- Thomson, I. R., Putnins, C. L.: Reply to: Pancuronium and Myocardial Ischemia, 660; *also see* Hudson, R. J.
- Tillmann Hein, H. A., Freeman, A. B.: Intubation Technique—A Health Hazard for the Anesthesiologist, 536
- Todd, M. M., *see* Scheller, M. S.
- Tommasino, C., Mackawa, T., Shapiro, H. M.: Local Cerebral Blood Flow during Lidocaine-induced Seizures in Rats, 771
- Torretti, J., Gerson, J. L., Oates, R. P., Lange, J. S.: β -Adrenoceptor Blockade and Tolerance to Potassium, 846
- Toyoda, Y., *see* Kubota, Y.
- Trang, H., *see* Fischler, M.
- Tremper, K. K., *see* Choi, H. J.
- Tsueda, K., *see* Ciccarelli, L. L.
- Tucker, W. Y., *see* Johnson, W. F.
- Turndorf, H., *see* Ramanathan, S.
- Tversky, M.: From the History of Anesthesia in Military Surgery, 561
- U**
- Ueda, I., Hirakawa, M., Arakawa, K., Kamaya, H.: Do Anesthetics Fluidize Membranes?, 67
- Unger, R., *see* Shapiro, H.
- Urbanyi, B., *see* Buzello, W.
- Uzzell, B., *see* Sieber, F.
- V**
- Vaghadia, H.: Facial Paresis after General Anesthesia. Report of an Unusual Case: Heerfordt's Syndrome, 513
- Van Der Spek, A. F. L., Hantler, C. B.: Phenylephrine Eyedrops and Anesthesia, 812
- Van Der Spek, A. F. L., Spargo, P. M., Nahrwold, M. L.: Masseter Spasm and Malignant Hyperthermia Are Not the Same Thing, 291
- Vatashsky, E., Beilin, B., Razin, M., Weinstein, M.: Mechanism of Antagonism by Physostigmine of Acute Flunitrazepam Intoxication, 248
- Veltkamp, S., *see* Carlson, C. A.
- Venus, B., Mathru, M., Smith, R. A.: Reply to: The Hemodynamic Effects of Positive End-expiratory Pressure, 131
- Vetto, J. T., *see* Garfield, J. M.
- Viars, P., *see* Clergue, F.
- Viñes, N., *see* Sieber, F.
- Viña, J. R., Davis, D. W., Hawkins, R. A.: The Influence of Nitrous Oxide on Methionine, S-adenosylmethionine, and Other Amino Acids, 490
- Viquerat, C. E., *see* Hansen, R. M.
- Vitaliti, J. C., *see* Sessler, C. N.

Vitez, T. S., Soper, L. E.: Reply to: Chronic Hypokalemia and Intraoperative Dysrhythmias, 409

Vourc'h, G., *see* Fischler, M.

W

Wada, A., *see* Yashima, N.

Waldman, J., *see* Leicht, C. H.

Walker, A. M., *see* Beard, K.

Wallfisch, H. K., *see* Johnston, R. V.

Walman, A. T., *see* Breslow, M. J.

Walsh, M. P., Brownell, A. K. W., Littmann, V., Paasuke, R. T.: Electrophoresis of Muscle Proteins Is Not a Method for Diagnosis of Malignant Hyperthermia Susceptibility, 473

Watts, L. F., *see* Musich, J.

Wara, W. M., *see* Brett, C. M.

Ward, C. F., Sanford, T. J.: A Potential Hazard: Interchanging Fentanyl and Sufentanil, 410

Warner, D. S., Deshpande, J. K., Wieloch, T.: The Effect of Isoflurane on Neuronal Necrosis Following Near-complete Forebrain Ischemia in the Rat, 19

Watanabe, S., *see* Yamashita, M.

Weinberg, G., Stirt, J. A., Longnecker, D. E.: Single versus Divided Doses of Atracurium: Does $0.05 + 0.10$ Equal 0.15 ? 111

Weiner, C. P., *see* Chestnut, D. H.

Weinstock, M., *see* Vatahsky, E.

Weiskopf, M., Stead, S. W.: Polymorphous Ventricular Tachycardia during Coronary Artery Bypass Surgery, 392

Weissman, C., Askanazi, J., Rosenbaum, S. H., Damask, M. C., Hyman, A. I., Kinney, J. M.: Response to Tubular Airway Resistance in Normal Subjects and Postoperative Patients, 353

Weissman, C., Kemper, M., Askanazi, J., Hyman, A. I., Kinney, J. M.: Resting Metabolic

Rate of the Critically Ill Patient: Measured versus Predicted, 673

Welch, W. D.: Inhibition of Neutrophil Cidal Activity by Volatile Anesthetics, 1

Wennhager, M., *see* Rawal, N.

West, C. A., *see* Schurr, A.

West, K. J.: Subdural Catheterization—Probably Not, 1, 838

Westphal, L. M., *see* Shapiro, J. M.

Whistler, T., Isaacs, H., Badenhorst, M.: No Abnormal Low Molecular Weight Proteins Identified in Human Malignant Hyperthermic Muscle, 795

White, P. F., Coe, V., Shafer, A., Sung, M.-L.: Comparison of Alfentanil with Fentanyl for Outpatient Anesthesia, 99; *also see* Shapiro, J. M.

White, R. D., *see* Gronert, G. A.

Wieloch, T., *see* Deshpande, J. K.; *also see* Warner, D. S.

Wiener-Kronish, J. P., *see* Hansen, R. M.

Wilkinson, C. J., Linde, H. W.: Status of Women in Academic Anesthesiology, 496

Williams, J. J., *see* Domino, K. B.

Williams, R. T.: Anesthesia for Acute Epiglottitis, 663; *also see* Maltby, J. R.

Williams, T., *see* Prough, D. S.

Willis, R. J., *see* Gourlay, G. K.

Wolf, W. J., Neal, M. B., Peterson, M. D.: The Hemodynamic and Cardiovascular Effects of Isoflurane and Halothane Anesthesia in Children, 328

Wolfe, T. M., *see* Dierdorf, S. F.

Wong, D. H., Lupei, R.: Methylene Blue Aids Multiple-lumen Catheter Replacement, 841

Wood, L. D. H., *see* Mayers, I.

Y

Yaksh, T. L., Harty, G. J., Onofrio, B. M.: High Doses of Spinal Morphine Produce a Nonopioid Receptor-mediated Hyperesthesia: Clinical and Theoretic Implications, 590

Yaksh, T. L., Noueihe[†], R. Y., Durant, P. A. C.: Studies of the Pharmacology and Pathology of Intrathecally Administered 4-Anilinopiperidine Analogues and Morphine in the Rat and Cat, 54; *also see* Durant, P. A. C.; Sill, J. C.

Yamamoto, Y., *see* Yano, M.

Yamashita, M., Motokawa, K.: "Fruit-flavored" Mask Induction for Children, 837

Yamashita, M., Motokawa, K., Watanabe, S.: Do Not Use the "Innovated" Cylinder Valve Handle for Cracking the Valve, 658

Yano, M., Nishiyama, H., Yokota, H., Kato, K., Yamamoto, Y., Otsuka, T.: Effect of Lidocaine on ICP Response to Endotracheal Suctioning, 651

Yashima, N., Wada, A., Izumi, F.: Halothane Inhibits the Cholinergic-receptor-mediated Influx of Calcium in Primary Culture of Bovine Adrenal Medulla Cells, 466

Yokota, H., *see* Yano, M.

Yonci, A., Nonoue, T., Sari, A.: Real-time Ultrasonic Guidance for Percutaneous Puncture of the Internal Jugular Vein, 830

Yoshitake, J., *see* Nakagawara, M.

Yoshiya, I., *see* Mashimo, T.

Yu, E., *see* Shafieha, M. J.

Yuge, O., *see* Kawamoto, M.

Z

Zahl, K., Murray, T., Jobs, D. R.: Frozen Pulmonary Artery Catheter: A Complication Associated with Cryoablation of the Ventricle, 662

Zapol, W. M., Falke, K. J.: Acute Respiratory Failure, 136

Zeig, N. J., *see* Norman, E. A.

Zornow, M. H., Mitchell, M. M.: Foreign Body Aspiration during Fiberoptic-assisted Intubation, 303

Zouieueche, S., *see* Marty, J.

